

精芯致力
智造美好生活

Powering Core Perfecting Life

公众号

电子画册

HIGHLY | SHEC

2026 ROTARY COMPRESSOR CATALOGUE

转子式压缩机技术样本

上海海立电器有限公司

SHANGHAI HIGHLY
ELECTRICAL APPLIANCES CO., LTD.



JØRGENSEN APPLIANCE A/S

COOLING · HEATING · VENTILATION · ELECTROMECHANICAL SOLUTIONS

CONTENTS

目录 »»
CONTENTS

01 企业简介 COMPANY PROFILE —— 01~06

02 产品应用 PRODUCT APPLICATIONS —— 07~10

03 产品系列 PRODUCT FAMILY —— 11~56

04 营销网络 SALES NETWORK —— 57~59

HIGHLY | SHEC

01

企业介绍

COMPANY PROFILE

全球化布局 »»

GLOBALIZATION



上海海立电器有限公司
SHANGHAI HIGHLY
ELECTRICAL APPLIANCES CO., LTD.

公司地址:浦东金桥开发区
创建日期:1993.1.30
公司总资产:90亿元
投资总额:57,380万美元
注册资本:27,304万美元
员工人数:7000人
生产能力:5700万台/年

Location: Jingqiao,Pudong
Establishment Date: 1993.1.30
Total assets: RMB 9 billion
Total investment: USD 573.8 million
Registered capital: USD 273.04 million
Number of employees: 7,000
Production capacity: 57 million units per year



1/7
全球市场占有率
Global Market Share

165 个
国家和地区的共同选择
Global Presence Across 165 Countries And Regions

1,476 项
授权专利
Authorized Patent

生产基地
Intelligent Factories


1993.01 上海工厂
Shanghai,CHINA


2008.01 南昌工厂
Nanchang,CHINA


2013.01 印度工厂
INDIA


2014.04 绵阳工厂
Mianyang,CHINA


2023.01 郑州工厂
Zhengzhou,CHINA


2025 泰国 在建工厂
THAILAND

技术中心
Global Technical Center


1997年 SHTC (上海)


2008年 HITC (印度)



2009年 NHTC (南昌)



2011年 GHTC (广东)


2015年 MHTC (绵阳)

不断进取 刷新历程 »

CORPORATE HISTORY

1993-1997

技术引进
Technology Assimilation

1993年1月 成立上海日立电器有限公司，进入空调压缩机行业
Founded as Shanghai Hitachi Electrical Appliances Co., Ltd., entering the AC compressor industry.
1997年 注册海立商标，开启海立品牌征程
Registered “Highly” trademark
成立上海技术中心
SHTC launched（Shanghai）

1998-2004

联合研发 自主专利
Joint Development with Independent Patents

1998年 成立行业唯一国家认证企业技术中心
Established the industry’s only nationally certified enterprise technology center
1999年 从引进技术到联合开发，上海日立第一个专利诞生
Achieved first patented technology
2001年 注册海立海外商标
Registered "Highly" trademark overseas
2002年 成立国家级实验认定中心
National-level lab certification

2005-2010

产销破亿 跻身领军
Scale & Leadership

2005年 海立品牌占比突破90%
Highly brand share exceeded 90%
完成吸收合并上海森林电器有限公司（海立集团与日本三菱电机的合资公司）Merged SLEC
2007年 开启机器人自动化生产线和EMS系统建设
Initiated robotic automation and EMS system implementation
2008年 成立海立首个海外技术中心-印度技术中心
HITC launched in India（the first overseas technology center）
2009年 投产首个异地工厂南昌海立电器竣工
NHEC completed and put into production
2010年 首破行企内亿台记录，累积产销1亿台
Sales exceeded 100 million units (industry first)

2011-至今

国际布局 全球品牌
Globalization

2011年 成立广东技术中心
GHTC Guangdong launched
2013年 开启海立国际化进程，首个海外工厂-印度工厂竣工投产
Global Expansion，HIEC has commenced production
公司成立20周年 20th anniversary
2014年 竣工投产绵阳海立电器
MHEC launched
2016年 空调压缩机产销突破2亿台
Compressor sales surpassed 200 million
2017年 上海日立电器有限公司正式改名为上海海立电器有限公司，销售突破100亿
Renamed Shanghai Highly Electrical Appliances Co., Ltd., annual sales exceeded RMB 10 billion
2018年 投建南昌海立电器智能制造工厂
Constructed NHEC intelligent manufacturing hub
2023年 公司成立30周年 30th anniversary
2024年4月 投产郑州海立电器（海立集团投资）
Zhengzhou Factory has commenced operations
2025 投建泰国工厂
Thailand factory under construction

孜孜不倦 厚积信任 »»

RELENTLESS IN INNOVATION, STEADFAST IN TRUST

深耕专业技术

Deep Cultivation of Core Expertise



系统技术 System Technology

系统关键技术研究
Research on core system technologies
新产品系统应用研究
Application studies for new product systems
系统仿真平台开发
Development of system simulation platforms



热力学技术 Thermodynamic Technology

压缩机内部热力过程和动力过程的分析和计算模拟
Analysis and computational modeling of thermodynamic and dynamic processes within compressors
新冷媒压缩机和新结构压缩机的开发
Development of compressors using new refrigerants and innovative structures



流体技术 Fluid Technology

压缩机内部冷媒、润滑油的流动、换热特性分析和改善
Analysis and optimization of refrigerant, lubricant flow dynamics and heat transfer characteristics



固体技术 Solid Mechanics Technology

压缩机零部件、组件的强度校核、失效分析、优化设计
Structural integrity verification, failure analysis, and optimization of compressor components design



材料技术 Material Technology

材料特性分析和新材料开发
Material property analysis and advanced material development
冷冻机油性能探讨和评价开发
Performance evaluation and development of refrigeration lubricants



音振技术 Acoustics & Vibration Technology

振动噪声分析（化无形为有形）
Vibration and noise analysis (making the intangible tangible)
减振降噪设计（以有形制无形）
Vibration reduction and noise control design (harnessing the tangible to master the intangible)

构建创新生态体系

Establishing an Innovation Ecosystem

知识生态合作 Knowledge Ecosystem Cooperation

学术联盟加入 Academic Alliances

UNIVERSITY OF MARYLAND
马里兰大学
《环境能源工程联盟》
CEEE

ILLINOIS
伊利诺伊大学
《冷冻空调学术联盟》
ACRC

院校项目合作 University R&D Programs

UNIVERSITY OF MARYLAND
上海电气 SHANGHAI ELECTRIC
ILLINOIS
PURDUE UNIVERSITY

产业价值合作 Industrial Value Integration

行业信息共享 Industry Knowledge Sharing
上下游链协助 Supply Chain Synergy

HIGHLY | SHEC

02

产品应用

PRODUCT APPLICATIONS

应用领域 »»
APPLICATIONS


RAC Room AC Compressors
家用空调压缩机
全球气候的可靠伙伴，舒适生活的宁静之芯
Trusted Partner in Global Climate Control,
The Serene Core of Comfortable Living.





PAC Light Commercial Packaged AC Compressors
轻商用空调压缩机
单元机、多联机、模块并联机，
搭配两联供综合方案，全面满足轻商需求
Products range from Unitary to VRF and Modular Chillers,
integrating dual-temperature hydronic solutions to comprehensively meet all light commercial needs.


















应用领域 »»
APPLICATIONS

NRAC Non - Residential AC Compressors
新兴领域用压缩机

应用场景持续扩展，全面覆盖小型家用一体制冷设备、商用、热泵领域、冷链、数据中心、电池热管理、车载空调等新兴领域

Application coverage spans from the small, household all-in-one cooling unit to commercial and heat pump sectors, extending to emerging fields such as cold chain logistics, data centers, battery thermal management, and automotive AC.


热水器
Water Heater


地暖
Floor Heating


干衣机
Dryer


厨房空调
Kitchen AC


户外露营
Camping


数据中心
Data Center


车载空调
Vehicle AC


冷链
Cold Chain



储能温控
Energy Storage Thermal MGMT

HIGHLY | SHEC

03

产品系列
PRODUCT FAMILY

产品系列 »»

SERIES INTRODUCTION



无氟 低噪音 高效能 变 频 转子式

W 系列 SERIES

适用于通讯户外柜电池仓空调、便携式空调及车载冰箱等用途

采用环保型制冷剂R134a、R1234yf、R290

直流12v~48v 全覆盖

一体化机架机构（专利技术，荣获国家家电科技进步一等奖）使之更加高效、静音

配套高度集成的一体化线束（专利技术）明星产品

Applicable to battery bin cooling, portable ACs, and car refrigerators.

Uses environmentally friendly refrigerants, such as R134a, R1234yf, R290.

Full coverage of DC power from 12V to 48V.

The system's enhanced efficiency and low-noise performance are ensured by its patented, highly integrated unitized structure- a technology honored with the National First Prize for Household Electrical Appliances Science & Technology Progress.

Equipped with a highly-integrated unitized cable (patented technology), which serves as a star component



无氟 高效能 低振动 变 频 转子式

S 系列 SERIES

适用于机柜空调、小型干衣机、帐篷空调等用途

采用环保型制冷剂 R134a、R290、R1234yf

结构紧凑,体积小重量轻,低振静音

全系列变频产品，覆盖交流、直流多电压输入

Applicable to cabinet ACs, compact dryers, tent ACs.

Uses environmentally friendly refrigerants R134a, R290 & R1234yf.

Compact structure with small size and light weight, low vibration, and quiet operation.

The full series of inverter products covers both AC and DC multi-voltage input.



无氟 转子式 低噪音 高效能 变 频

A 系列 SERIES

适用于 5-30L 的除湿机和小 1-1.5HP 变频空调

采用环保型制冷剂 R134a、R410A、R290、R32

结构紧凑，体积小重量轻，高效节能可靠

多种电源规格可选，含定速和变频

兼有干衣机、机柜空调等特殊领域用压缩机


Applicable to 5-30L dehumidifiers and inverter ACs ranging from sub-1to1.5HP.

Uses environmentally friendly refrigerants, such as R134a, R410A, R290 & R32.

Compact structure with small size and light weight. High-performance, energy-efficient and reliable.

Available in multiple power specifications, including fixed-speed and inverter types.

Also includes compressors for specialized applications such as dryers, cabinet ACs.



无氟 低噪音 高效能 变 频

D 系列 SERIES

适用空调：定速小1-1.5HP，变频 1HP-3HP

单双转子兼备

采用环保型制冷剂 R410A、R32、R454B、R290 产品型谱齐全，适合多领域应用

性能和噪音水平行业领先

Applicable to fixed-speed ACs sub-1 to 1.5HP and inverter ACs （1HP to 3 HP）

Both single-rotary and twin-rotary compressors are available.

Uses environmentally friendly refrigerants R410A, R32, R454B & R290.

Features a comprehensive product portfolio suitable for a wide range of applications.

Sets the industry standard for performance and low noise.



无氟 低噪音 高效能 变 频

X 系列 SERIES

适用空调：变频小1HP-2HP

单双转子兼备

采用环保制冷剂 R410A、R32、R454B、R290


满足中国、日本、印度、欧洲、东南亚空调新能效标准，高效、节能、静音、环保

Applicable to inverter ACs from sub-1HP to 2HP.

Both single-rotary and twin-rotary compressors are available.

Uses environmentally friendly refrigerants R410a, R32, R454B & R290.

Complies with the latest energy efficiency standards for air conditioners in China, Japan, India, Europe, and Southeast Asia. High-performance, energy-efficient, low-noise and environmentally friendly .



无氟 低噪音 高效能 变 频

G 系列 SERIES

适用空调：定速 1-1.5HP，变频 2HP-6HP

采用 R410A、R290、R32 等多种制冷剂

多种电源规格可选，产品型谱齐全

高效节能可靠

Applicable to fixed-speed ACs (1HP-1.5HP) and inverter ACs (2HP-6HP).

Uses various refrigerants, such as R410A, R290 & R32.

Available in multiple power specifications with a complete product portfolio.

High-performance, energy-efficient, and reliable.



无氟 低噪音 高效能 变 频 双转子

L 系列 SERIES

适用空调：定速 1.5HP-3HP，变频 2.5HP-5HP

采用R410A、R290、R32 等多种制冷剂

多种电源规格可选，适用于T1,T3工况，产品型谱丰富

变频采用 R410A 和 R32，双转子结构，高效环保振动小

Applicable to fixed-speed ACs (1.5-3HP) and inverter ACs (2.5-5HP).

Uses various refrigerants, such as R410A, R290 & R32.

Available in multiple power specifications.

Suitable for both T1 and T3 conditions, with a comprehensive product portfolio.

Inverter models, which use R410A or R32 and feature twin-rotary technology, offer high energy efficiency, environmental friendliness, and low vibration.



无氟 低噪音 高效能 变 频 冷 冻

H 系列 SERIES

适用空调：定速 2-3HP

采用 R410A、R290、R32 等多种制冷剂

多种电源规格可选


适用于 T1，T3 工况，产品型谱丰富

Applicable to fixed-speed ACs (2-3HP).

Uses various refrigerants, such as R410A, R290 & R32.

Available in multiple power specifications.

Suitable for both T1 and T3 conditions, with a wide and diverse product portfolio.



无氟 低噪音 高效能 变 频 双转子

TH 系列 SERIES

适用空调: 定速 3-6HP, 变频 4-12HP 家用和商用

采用R22、R410A、R32、R290、R454B等多种制冷剂

多种电源规格可选

出油率低，高效节能可靠

Applicable to fixed-speed ACs (3-6HP) and inverter RACs (Room Air Conditioners) and PACs (Light Commercial Packaged Air Conditioners) in the 4-12HP range.

Uses various refrigerants, such as R22, R410A, R32, R290 & R454B.

Available in multiple power specifications.

Low-OCR, high-performance, energy-efficient, and reliable.



无氟 低噪音 高效能 变 频 双转子

TE 系列 SERIES

国内首家大功率的25HP 双转子压缩机

适用于定速5-7HP及变频12-25HP的家用和商用空调

采用R410A、R32 、R454B等多种制冷剂

兼有三相电源及多国家 / 地区多种电源，超高能效

The first twin rotary compressors with 25HP capacity in the domestic market.

Applicable to RACs (Room Air Conditioners) and PACs (Light Commercial Packaged Air Conditioners) uses with fixed-speed ACs (5HP to 7HP) and inverter ACs (12HP to 25HP).

Uses various refrigerants such as R22, R410A, R32 & R454B.

Available in three-phase power configurations, supporting various power specifications for multiple countries and regions, with ultra-high energy efficiency.

压缩机规格分布图 »»

COMPRESSOR SPECIFICATIONS DISTRIBUTION CHART

变频机 INVERTER

冷媒 Refrigerant	变频方式 INV	2KW	4KW	6KW	8KW	10KW	15KW	30KW	50KW	70KW
R134a	DC	W/S/A								
R410A R32 R454B R454C	DC	A	X / D				G			
				L			TH		TE	
R290	DC	W/S/A/D/X/G/L/H/TH/TE								
R744	DC	H								

定速机 CONSTANT-SPEED

冷媒 Refrigerant	电源 Power	Btu/h 6825	13650	20480	27300	34125	40950	47750
		W 2000	4000	6000	8000	10000	12000	14000
R410A R32 R454B	220-240V,50Hz	D / G / L / H / TH						
	208-230V,60Hz	D / G / L / H / TH / TE						
	115-120V,60Hz	A / D / G						
R134a	220-240V,50Hz	W/S/A/D/X/G/L/H/TH/TE						
	208-230V,60Hz	W/S/A/D/X/G/L/H/TH/TE						
	115-120V,60Hz	A						
	100V,50/60Hz	A						
	100-110V,50/60Hz	A						
R290	220-240V,50Hz	A/D/G/L/TH						

热带机 TROPICAL

类型 Type \ 能力 Capacity(Btu/h)	Btu/h 15K	18K	21K	24K	27K	30K	33K	36K	39K	42K
R32 热带机	220-240V,50Hz	D / H								
R410A 热带机	220-240V,50Hz	L / H								
	230V,60Hz	L / H / TH / TE								

压缩机编号方法 MODEL CODE IDENTIFICATION

例 Example: A S L 145 S V - C 7A U **

- 制冷剂和用途 Refrigerant & Use
- 气缸数 Numberof Cylinder
- 系列 Series
- 排气量 Displacement
- 特殊规格辅助标示 Auxiliary mark for special specification
- 底角与储液器夹角 Angle between triangle base and accumulator
- 储液器规格 Accumulator specifications
- 底脚形式 Compressors Base Type

压缩机性能等级 Compressors Performance Scale

C	标准型 COMMON COP models
S	高效型 SUPER COP models
X/T	超高效型 ULTRA COP models
G	低电压启动型 Low voltage starting models
M	无喷射热带机 None injection tropical models
D	超级无喷射热带机 Super none injection tropical models

电源 Power

R	单相 Single phase ,100V/100-110V,50/60Hz
W	单相 Single phase ,110/115-120V,60Hz
S	单相 Single phase ,200V/200-220V,50/60Hz
N	单相 Single phase ,208-230V,60Hz
V	单相 Single phase , 220V/220-240V,50Hz
G	单相 Single phase ,220V,60Hz
T	单相 Single phase ,230V,50/60Hz
H	单相 Single phase ,265-277V,60Hz
C	三相 Three phase ,380-400V,50/60Hz
F/P	直流变频(铁氧体)DC INV(Ferrite)
D/K	直流变频(稀土)DC INV(Rare Earth)

启动方式 Starting Method

-	KP (1)
1	KT (1)
2	KR (1)
3	K (3)
4	KQ (1)
5	KN (1)

压缩机编号方法 MODEL CODE IDENTIFICATION

例 Example: SH V 33 Y C 1 - E

- 系列 Series
- 名义输出功率 Rated Output
- 特殊规格 Special Specification
- 三角底角度φ Angle φ of Triangle Base
- 储液器规格 Accumulator specifications
- 底脚形式 Compressors Base Type
- 排气量 Displacement

启动方式 Starting Method 电源 Power（1PH）

13	100V,50/60Hz, 1PH
23	200V,50/60Hz, 1PH
33	220~240V,50Hz, 1PH
53	110~120V,60Hz, 1PH
55	PTC启动 PTC Motor Starting Method,115v,60Hz
73	208~230V,60Hz, 1PH
83	220V,60Hz, 1PH
20	变频用 For Inverter
40	380V,3PH

压缩机测试工况/ TESTING CONDITION

测试工况 Testing Condition	冷凝温度 Condensing Temp (°C)	蒸发温度 Evaporating Temp (°C)	过冷温度 Subcooling Temp(°C)	过热温度 Superheating Temp (°C)	环境温度 Ambient Temp (°C)
ASHRAE/T	54.4	7.2	8.3	11.1	35.0
冷房定格 Rated Cooling	45.0	7.2	8.3	11.1	35.0
New GB	46.0	7.2	8.3	11.1	35.0
DOE B	37.8	10.0	8.3	11.1	35.0

直流变频 R290/ DC INVERTER R290

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Rated Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	PSD140RKQ-6B	14.00	2810	9588	4.75	3600	235.0	New GB
TA	PTA176RKR-8B	17.50	3610	12317	4.87	3600	228.5	New GB
TD	PTD175RKQ-6B	17.50	3650	12454	4.93	3600	240.9	New GB
TX	GTX210UKT-8	21.00	4400	15013	4.95	3600	264.0	New GB
L	PTL232SDN	23.20	3850	13136	3.50	3300	290.5	ASHRAE/T
	PTL253UDP	25.30	4260	14535	3.61	3300	290.5	ASHRAE/T

直流变频 R410A T3/ DC INVERTER R410A T3

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Rated Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	GSD140RK-8B	14.00	5000	17060	4.50	3600	235.5	New GB
	GTD141RK-8B	14.10	5060	17265	4.42	3600	242.2	New GB
	GTD186RK-8	18.60	6400	21837	4.40	3600	259.6	New GB
L	ATL232UDP-T	23.20	6520	22247	3.20	3300	307.5	ASHRAE/T
TH	GTH307SKP	30.70	9280	31664	4.20	3300	328.0	New GB
	GTH420SKP	42.00	11800	40263	3.30	3300	328.0	ASHRAE/T

直流变频 R32/R410A/ DC INVERTER R32/R410A

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Rated Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	GSA725SKS-8	7.25	2645	9025	4.40	3600	194.6	New GB
TA	GTA920SKR-8A	9.20	3180	10850	4.32	3600	218.5	New GB
	GTA100SKS-8B	10.00	3510	11976	4.32	3600	218.5	New GB
X	GSX073NKQ-8	7.30	2650	9042	4.34	3600	192.2	New GB
	GSX073CKT-8	7.30	2620	8939	4.40	3600	190.2	New GB
	GSX088BKQ-8	8.80	3155	10765	4.42	3600	190.2	New GB
	GSX088RKU-8	8.80	3210	10953	4.61	3600	225.0	New GB
	GSX098BKS-9	9.80	3595	12266	4.47	3600	227.1	New GB
	GSX102BKS-9	10.20	3790	12931	4.47	3600	227.0	New GB
	GSX102CKS-9	10.20	3800	12966	4.56	3600	227.0	New GB
	GSX102UKU-8	10.20	3800	12966	4.60	3600	225.0	New GB
TX	GTX100SKT-8A	10.00	3570	12181	4.35	3600	240.2	New GB
	GTX130SKT-8A	13.00	4635	15815	4.35	3600	240.2	New GB
	GTX150SKT-8A	15.00	5370	18322	4.35	3600	240.2	New GB
D	GSD098CKN-5B	9.80	3510	11976	4.26	3600	208.9	New GB
	GSD098RKT-8B	9.80	3485	11891	4.58	3600	229.0	New GB
	GSD098XKU-6B	9.80	3485	11891	4.63	3600	229.0	New GB
	GSD102CKQ-8B	10.20	3710	12659	4.45	3600	208.9	New GB
	GSD108CKQ-8B	10.80	3870	13204	4.43	3600	208.9	New GB
	GSD130SKR-8B	13.00	4590	15661	4.45	3600	226.5	New GB
	GSD140RKQ-8B	14.00	5050	17231	4.50	3600	244.9	New GB
	GSD140SKQ-8B	14.00	5010	17094	4.45	3600	253.0	New GB
	GSD145RKR-8	14.50	5290	18049	4.50	3600	235.5	New GB
TD	GTD130UKS-8B	13.00	4635	15815	4.48	3600	263.0	New GB
	GTD150RKQ-6B	15.00	5380	18357	4.46	3600	266.0	New GB
	GTD150RKR-8B	15.00	5380	18357	4.43	3600	264.0	New GB
	GTD186RKQ-8	18.60	6750	23031	4.45	3600	291.0	New GB
	GTD216XKS-8	21.60	7630	26034	4.60	3600	308.0	New GB
	GTD216UKP-8B	21.60	7820	26682	4.50	3600	274.0	New GB
	GTD226RKQ-8	22.60	8210	28013	4.47	3600	291.0	New GB
G	GSG133SKQ	13.30	5500	18766	4.65	4020	261.0	冷房定格 Rated Cooling
L	GTL253UDP	25.30	8420	28729	4.85	3180	290.5	冷房定格 Rated Cooling
TH	GTH307SKP	30.70	9870	33676	4.30	3300	328.0	New GB
	GTH420SKP	42.00	13700	46744	4.30	3300	328.0	New GB
	GTH420SDP	42.00	16000	54592	4.40	4020	375.8	冷房定格 Rated Cooling

定速 T3 R410A/ CONSTANT-SPEED T3 R410A

[1φ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
G	ASG108MV	10.80	2555	8718	2.85	30/450	261.0	ASHRAE/T
	ASG130MV-3	13.00	3080	10509	2.92	30/450	261.0	ASHRAE/T
	ASG135MV	13.50	3320	11328	3.02	35/450	261.0	ASHRAE/T
	ASG140MV-3	14.00	3409	11632	2.94	35/450	268.3	ASHRAE/T
L	ASL175MV-7	17.50	4715	16088	3.95	40/450	302.0	ASHRAE/T
	ASL180MV	18.00	4870	16616	3.97	50/450	302.0	New GB
	ASL185MV-6	18.50	5010	17094	3.98	45/450	302.0	ASHRAE/T
	ASL205MV-G	20.50	5600	19107	3.91	70/450	302.0	ASHRAE/T
H	ASH210MV	21.00	5200	17742	3.06	55/450	301.1	ASHRAE/T
	ASH232MV-2	23.20	5750	19619	3.09	60/450	301.1	ASHRAE/T
	ASH244MV-1	24.40	6630	22622	4.02	55/450	315.5	New GB
	ASH250MV-2	25.00	6750	23031	3.79	60/450	315.5	New GB
	ASH264MV-2	26.40	7230	24669	3.92	60/450	325.5	New GB
	ASH280MV	28.00	6850	23372	3.00	50/450	325.5	ASHRAE/T
TH	ATH290MV	29.00	7010	23918	3.03	70/450	375.8	ASHRAE/T
	ATH325MV	32.50	7860	26818	2.98	70/450	375.8	ASHRAE/T
	ATH356MV	35.60	8550	29173	2.90	55/450	375.8	ASHRAE/T
	ATH420MV	42.00	10100	34461	2.95	90/450	375.8	ASHRAE/T

定速 T3 R410A/ CONSTANT-SPEED T3 R410A

[3φ]380V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
H	ASH286UC	28.60	6830	23304	3.05	-	315.5	ASHRAE/T
TH	ATH280TC	28.00	6750	23031	2.92	-	351.4	ASHRAE/T
	ATH307UC3	30.70	7490	25556	3.08	-	375.8	ASHRAE/T
	GTH345UC	34.50	9140	31186	4.03	-	400.7	New GB
	ATH420UC*1	41.80	9880	33711	3.01	-	400.7	ASHRAE/T
	ATH489UC	48.60	13150	44868	3.98	-	427.8	New GB

定速 T3 R410A/ CONSTANT-SPEED T3 R410A

[1φ]230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
G	ASG102DG-3	10.20	3010	10270	3.02	30/450	261.0	ASHRAE/T
	ASG108DG-1	10.80	3205	10935	3.02	30/450	261.0	ASHRAE/T
L	ASL145DG-1	14.50	4747	16197	4.03	40/450	287.0	New GB
	ASL157DG	15.70	5130	17504	3.98	40/450	287.0	New GB
	ASL160DG-6	16.00	5205	17759	3.91	45/450	287.0	New GB
	ASL170DG-7	17.00	5555	18954	3.90	50/450	302.0	New GB
	ASL180DG-6	18.00	5910	20165	3.97	40/450	302.0	New GB
	ASL185DG	18.50	6085	20762	4.05	40/450	302.0	New GB
	ASL193DG	19.30	6450	22007	4.05	40/450	302.0	New GB
	ASL201DG	20.10	600	22519	4.01	60/450	314.0	New GB
	ASL203DG	20.50	6750	23031	4.01	50/450	304.0	New GB
H	ASH201DG-3	20.10	6610	22553	4.01	50/450	301.1	New GB
	ASH205DG-3	20.50	6700	22860	3.90	55/450	301.1	New GB
	ASH210DG	21.00	6820	23270	4.04	40/450	301.1	New GB
	ASH215DG	21.50	6410	21871	3.08	50/450	301.1	ASHRAE/T
	ASH232DG	23.20	6870	23440	3.10	55/450	325.5	ASHRAE/T
	ASH239DG	23.90	7830	26716	4.08	55/450	315.5	New GB
	ASH250DG	25.00	7410	25283	3.06	60/450	315.5	ASHRAE/T
	ASH255DG-1	25.50	7520	25658	3.03	60/450	325.5	ASHRAE/T
	ASH264DG	26.40	7830	26716	3.05	70/450	325.5	ASHRAE/T
	ASH280DG	28.00	8210	28013	3.05	70/450	325.5	ASHRAE/T
TH	ATH280DG-1	28.00	8280	28251	2.99	70/450	375.8	ASHRAE/T
	ATH290DG-1	29.00	8570	29241	3.01	70/450	375.8	ASHRAE/T
	ATH307DG	30.70	9050	30879	3.01	70/450	375.8	ASHRAE/T

定速 T1 R410A/ CONSTANT-SPEED T1 R410A

[1φ]115-120V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	ASD082UW-2	8.20	2355	8035	2.90	50/250	241.8	ASHRAE/T
	GSD102UW-3	10.20	2960	10100	3.05	70/300	248.8	ASHRAE/T
G	ASG125UW	12.50	3575	12198	2.93	65/300	261.0	ASHRAE/T

定速 T1 R410A/ CONSTANT-SPEED T1 R410A

[3φ]380V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
H	ASH286UC	28.60	6830	23304	3.05	-	315.5	ASHRAE/T
TH	ATH280TC	28.00	6750	23031	2.92	-	351.4	ASHRAE/T
	ATH307UC3	30.70	7490	25556	3.08	-	375.8	ASHRAE/T
	GTH345UC	34.50	9140	31186	4.03	-	400.7	New GB
	ATH420UC	42.00	10150	34632	3.03	-	375.8	ASHRAE/T

定速 T1 R410A/ CONSTANT-SPEED T1 R410A

[1φ]220V 50Hz（低电压 Low Voltage）

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
G	ASG096GV	9.60	2355	8035	2.83	35/450	261.0	ASHRAE/T
	ASG108GV	10.80	2610	8905	2.84	35/450	261.0	ASHRAE/T
	ASG130GV	13.00	3170	10816	2.83	35/450	261.0	ASHRAE/T
L	ASL145GV	14.50	3500	11942	2.82	40/450	289.0	ASHRAE/T
	ASL198GV	19.80	4755	16224	2.78	60/450	304.0	ASHRAE/T
H	ASH210GV	21.00	5230	17845	2.99	55/450	301.1	ASHRAE/T
	ASH232GV	23.20	5740	19585	3.01	60/450	315.5	ASHRAE/T
	ASH264GV	26.40	7360	25112	3.71	60/450	315.5	New GB
	ATH290GV	29.00	7060	24089	2.98	60/450	358.0	ASHRAE/T

家用空调压缩机
ROOM AC COMPRESSOR

定速 T1 R410A/ CONSTANT-SPEED T1 R410A

[1φ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	ASD042SV	4.20	940	3207	2.65	8/450	217.8	ASHRAE/T
	ASD063SV	6.30	1460	4982	2.72	17/400	238.8	ASHRAE/T
	ASD073CV-4	7.30	1955	6670	3.52	25/450	229.1	New GB
	GSD080CV-5B	8.00	2090	7131	3.49	35/450	249.1	New GB
	GSD101SV-4B	10.10	2400	8189	2.80	25/450	239.1	ASHRAE/T
	ASD105UV-3	10.5	2780	9485	3.92	30/450	248.8	New GB
	GSD105CV-5B	10.50	2770	9451	3.37	35/450	249.1	New GB
	ASD118UV-3B	11.80	3150	10748	3.92	25/450	249.1	New GB
	GSD125CV-5B	12.50	3335	11379	3.35	45/450	249.1	New GB
G	ASG102UV	10.20	2450	8359	3.02	30/450	261.0	ASHRAE/T
	ASG108TV	10.80	2510	8564	2.90	25/450	261.0	ASHRAE/T
	ASG120TV-3	12.00	3290	11226	3.96	30/450	261.0	New GB
	ASG125UV-3	12.50	2930	9997	2.93	30/450	261.0	ASHRAE/T
	ASG130CV-4	13.00	3509	11973	3.66	40/450	261.0	New GB
	ASG135CV-4	13.50	3245	11072	2.88	40/450	261.0	ASHRAE/T
	ASG140TV-3	14.00	3380	11533	3.02	30/450	278.6	ASHRAE/T
	ASG140CV-5	14.00	3800	12966	3.44	45/450	268.3	New GB
L	ASL150UV-1	15.00	3555	12130	3.00	35/450	289.0	ASHRAE/T
	ASL160UV	16.00	3780	12897	3.00	35/450	289.0	ASHRAE/T
	ASL180UV	18.00	4350	14842	3.03	35/450	304.0	ASHRAE/T
	ASL185UV	18.50	4440	15149	2.98	40/450	289.0	ASHRAE/T
	ASL211SV-1	21.10	5085	17350	2.90	50/450	289.0	ASHRAE/T
	ASL222SV	22.20	5310	18118	2.95	55/450	304.0	ASHRAE/T
	ASL242SV	24.20	5820	19858	2.87	60/450	308.7	ASHRAE/T
H	ASH197UV	19.70	5300	16139	4.01	45/450	296.1	ASHRAE/T
	ASH232SV	23.20	5510	18800	2.90	60/400	298.5	ASHRAE/T
	ASH244UV-2	24.40	5945	20284	3.03	55/450	315.5	ASHRAE/T
	ASH250UV	25.00	6035	20591	3.01	55/450	325.5	ASHRAE/T
	ASH255UV	25.50	6210	21189	3.00	55/450	325.5	ASHRAE/T
	ASH264UV	26.40	6440	21973	3.00	55/450	325.5	ASHRAE/T
	ASH280TV	28.00	6830	23304	3.00	70/450	312.9	ASHRAE/T
	ASH286UV-1	28.60	8650	29514	4.45	70/450	315.5	New GB
	ASH295UV	29.50	7200	24566	3.00	70/450	325.5	ASHRAE/T
TH	ATH290TV	29.00	7130	24328	2.98	45/450	364.0	ASHRAE/T
	ATH290CV	29.00	7125	24311	2.88	60/450	358.0	ASHRAE/T
	ATH307RV	30.70	7330	25010	2.90	50/450	358.0	ASHRAE/T
	ATH325CV	32.50	7780	26545	2.87	60/450	358.0	ASHRAE/T
	ATH356CV	35.60	8440	28797	2.85	65/450	358.0	ASHRAE/T
	ATH420MV	41.80	10060	34325	2.90	90/450	375.8	ASHRAE/T

定速 T1 R410A/ CONSTANT-SPEED T1 R410A

[1φ]208-230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	ASD071UN	7.10	2085	7114	2.90	17/400	243.8	ASHRAE/T
	ASD084SN	8.40	2470	8428	2.85	20/400	248.8	ASHRAE/T
	ASD102XN	10.20	2990	10202	2.99	20/450	251.0	ASHRAE/T
	ASD113UN	11.30	3330	11362	3.00	20/450	251.0	ASHRAE/T
G	ASG112UN	11.20	3305	11277	3.05	30/450	261.0	ASHRAE/T
L	ASL152DN-6	15.20	5010	17094	4.03	45/450	287.0	New GB
	GSL157CN-5	15.70	5175	17657	3.79	35/450	302.0	New GB
	ASL180DN-6	18.00	5900	20131	4.03	40/450	302.0	New GB
	ASL190DN-6	19.00	6250	21325	4.02	40/450	302.0	New GB
	ASL211SN-1	21.10	6220	21223	2.95	35/450	314.0	ASHRAE/T
	ASL215CN-4	21.50	6360	21700	3.82	60/450	304.0	New GB
	ASL222UN	22.20	6566	22403	3.04	50/450	314.0	ASHRAE/T
TL	ATL245DG	24.50	7250	24737	3.00	45/450	337.5	ASHRAE/T
H	ASH201DG-3	20.10	6610	22553	4.01	50/450	301.1	New GB
	ASH205DG-3	20.50	6700	22860	3.90	55/450	301.1	New GB
	ASH210DG	21.00	6820	23270	4.04	40/450	301.1	New GB
	ASH215DG	21.50	6410	21871	3.08	50/450	301.1	ASHRAE/T
	ASH222UN	22.20	6550	22349	3.08	55/450	315.5	ASHRAE/T
	ASH232UN	23.20	6750	23031	3.05	55/400	315.5	ASHRAE/T
	ASH239DG	23.90	7830	26716	4.08	55/450	315.5	New GB
	ASH250DG	25.00	7410	25283	3.06	60/450	315.5	ASHRAE/T
	ASH255DG-1	25.50	7520	25658	3.03	60/450	325.5	ASHRAE/T
	ASH264DG	26.40	7830	26716	3.05	70/450	325.5	ASHRAE/T
	ASH280DG	28.00	8210	28013	3.05	70/450	325.5	ASHRAE/T
TH	ATH280DG-1	28.00	8280	28251	2.99	70/450	375.8	ASHRAE/T
	ATH290DG-1	29.00	8570	29241	3.01	70/450	375.8	ASHRAE/T
	ATH307DG	30.70	9050	30879	3.01	70/450	375.8	ASHRAE/T
	ATH356UN	35.60	10520	35894	2.95	90/450	375.8	ASHRAE/T

家用空调压缩机
ROOM AC COMPRESSOR

定速 R290/ CONSTANT-SPEED R290

[1φ]220-240V 50Hz

系列 Series	机种 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	PSA325SV	3.25	445	1518	2.40	6.5/450	164.1	ASHRAE/T
	PSA357SV	3.57	495	1689	2.50	6.5/450	164.1	ASHRAE/T
	PSA520SV	5.20	722	2463	2.50	8.0/450	164.1	ASHRAE/T
	PSA586SV	5.86	835	2849	2.64	6.5/500	174.6	ASHRAE/T
	PSA645CV-4	6.45	945	3224	2.65	12/450	185.1	ASHRAE/T
	PSA725CV-5	7.25	1060	3617	2.60	12/450	185.1	ASHRAE/T
	PSA725SV	7.25	1060	3617	2.83	12/450	185.1	ASHRAE/T
	PSA804SV	8.04	1150	3924	2.43	20/450	180.9	ASHRAE/T
D	PSD089CV	8.90	1350	4606	3.25	20/450	232.9	ASHRAE/T
	PSD125XV	12.50	1970	6722	3.35	17/400	229.5	ASHRAE/T
	PSD160XV	16.00	2500	8530	3.35	25/450	242.9	ASHRAE/T
	PSD160SV-3	16.00	2410	8223	3.21	25/450	224	ASHRAE/T
	PSD170XV	17.00	2665	9093	3.35	25/450	238.4	ASHRAE/T
G	PSG184SV	18.40	2653	9052	3.27	35/400	263.3	ASHRAE/T
L	PSL242UV	24.20	3680	12556	3.46	35/450	289.0	ASHRAE/T

定速 R32/ CONSTANT-SPEED R32

[1φ] 115-120V/60Hz

系列 Series	机种 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	GSD102UW-3	10.20	3495	11925	4.01	70/300	251.0	New GB
	GSD108UW-3B	10.80	3755	12812	3.95	70/300	251.0	New GB

定速 R32/ CONSTANT-SPEED R32

[1φ] 230V/60Hz

系列 Series	机种 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
L	GSL152DG-6	15.20	5380	18357	4.09	40/450	302.0	New GB
	GSL157DG-6	15.70	5610	19141	4.07	45/450	287.0	New GB
	GSL160DG-7	16.00	5685	19397	4.15	35/450	302.0	New GB
	GSL193DG-7	19.30	6930	23645	4.15	40/450	302.0	New GB
	GSL203CG-5	20.30	7270	24805	3.9	35/450	302.0	New GB

定速 R32/ CONSTANT-SPEED R32

[1φ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	GSA418HV	4.18	1280	4367	4.08	10/450	198.7	冷房定格 Rated Cooling
D	GSD042SV	4.20	1260	4299	4.06	8/450	217.8	冷房定格 Rated Cooling
	GSD070CV-5B	7.00	1970	6722	3.63	20/450	225.5	New GB
	ASD073CV-4	7.30	2060	7029	3.60	25/450	229.1	New GB
	GSD080CV-5B	8.00	2180	7438	3.50	35/450	249.1	New GB
	GSD080CV-4B	8.00	2620	8939	4.29	30/450	229.1	冷房定格 Rated Cooling
	GSD085SV-4B	8.50	2385	8138	3.85	25/450	239.1	New GB
	GSD088CV-4B	8.80	2785	9502	4.29	30/450	229.1	冷房定格 Rated Cooling
	GSD088SV-4B	8.80	2809	9584	4.35	25/450	239.1	冷房定格 Rated Cooling
	GSD101SV-4B	10.10	2880	9827	3.88	25/450	239.1	New GB
	GSD105CV-5B	10.50	2960	10100	3.45	35/450	249.1	New GB
	GSD113CV	11.30	3610	12317	4.34	35/450	235.1	冷房定格 Rated Cooling
	ASD118UV-3B	11.80	3320	11328	3.92	25/450	249.1	New GB
	GSD125CV-5B	12.50	3550	12113	3.41	45/450	249.1	New GB
G	GSG102UV	10.20	3200	10918	4.55	30/450	261.0	冷房定格 Rated Cooling
	GSG108TV-3	10.80	3550	12113	4.68	30/450	261.0	冷房定格 Rated Cooling
	GSG120UV-3	12.00	3903	13317	4.63	30/450	261.0	冷房定格 Rated Cooling
	GSG125SV-4	12.50	4040	13784	4.42	40/450	261.0	冷房定格 Rated Cooling
	GSG125MV	12.50	3665	12505	3.96	35/450	261.0	New GB
	GSG135TV	13.50	4430	15115	4.65	35/450	261.0	冷房定格 Rated Cooling
L	GSL175CV-5	17.50	5050	17231	3.84	35/450	302.0	New GB
	GSL180MV-7	18.00	5325	18169	4.08	45/450	302.0	New GB
	GSL193MV-7	19.30	5640	19244	4.06	45/450	302.0	New GB
	GSL210CV-4	21.00	6210	21189	3.86	60/450	304.0	New GB
	GSL222MV-7	22.20	6560	22383	3.99	60/450	304.0	New GB
	GSL232UV-7	23.20	6950	23713	4.06	60/450	304.0	New GB
	GSL236CV-4	23.60	7015	23935	3.9	60/450	304.0	New GB
H	GSH190TV	19.00	6180	21086	4.72	45/450	316.2	冷房定格 Rated Cooling
	ASH197UV	19.70	5796	19776	4.09	45/450	301.1	New GB
	GSH201TV	20.10	6630	22622	4.85	40/450	301.1	冷房定格 Rated Cooling
	GSH205UV	20.50	5980	20404	4.07	45/450	296.1	New GB
	GSH244UV-1	24.40	7060	24089	4.09	50/450	315.5	New GB
	ASH255UV	25.50	7570	25829	4.17	55/450	325.5	New GB
	GSH264UV	26.40	7710	26307	3.99	55/450	325.5	New GB
TH	GTH270UV	27.00	8690	29650	4.63	60/450	378.5	冷房定格 Rated Cooling
	GTH290UV	29.00	9400	32073	4.68	70/450	375.8	冷房定格 Rated Cooling
	GTH315UV	31.50	10175	34717	4.58	70/450	375.8	冷房定格 Rated Cooling
	ATH345MV	31.50	9925	33864	3.83	70/450	378.4	冷房定格 Rated Cooling

家用空调压缩机
ROOM AC COMPRESSOR

定速 印度向 R32/ CONSTANT-SPEED INDIA R32

[1φ]220-240/230V 50Hz

系列 Series	机种 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
G	GSG125RY	12.50	3925	13392	4.20	35/450	261.0	冷房定格 Rated Cooling
	GSG108UV	10.80	3490	11908	4.62	30/450	261.0	冷房定格 Rated Cooling
	GSG108TV-3	10.80	3550	12113	4.68	30/450	261.0	冷房定格 Rated Cooling
	GSG120UV-3	12.00	3903	13317	4.63	30/450	261.0	冷房定格 Rated Cooling
	GSG125UY	12.50	3930	13409	4.52	30/450	261.0	冷房定格 Rated Cooling
L	GSL157UY-7	15.70	5160	17606	4.88	35/450	289.0	冷房定格 Rated Cooling
	GSL165UY-7	16.50	5360	18288	4.88	35/450	302.0	冷房定格 Rated Cooling
	GSL170UY-7	17.00	5560	18971	4.86	35/450	302.0	冷房定格 Rated Cooling
	GSL175UY-7	17.50	5700	19448	4.89	35/450	302.0	冷房定格 Rated Cooling
	GSL203UY-7	20.30	6710	22895	4.8	55/450	304.0	冷房定格 Rated Cooling
	GSL210UY-7	21.00	6950	23713	4.8	55/450	304.0	冷房定格 Rated Cooling
H	GSH201TV	20.10	6630	22622	4.85	40/450	301.1	冷房定格 Rated Cooling
	GSH218UY	21.80	7140	24362	4.70	50/450	301.1	冷房定格 Rated Cooling
	GSH232UY	23.20	7620	25999	4.67	55/450	301.1	冷房定格 Rated Cooling
	GSH222UY	22.20	7305	24925	4.76	50/450	315.5	冷房定格 Rated Cooling
	GSH239UY	23.90	7825	26699	4.74	50/450	315.5	冷房定格 Rated Cooling
	ASH255UV	25.50	7570	25829	4.17	55/450	325.5	New GB
TH	GTH290UV	29.00	9400	32073	4.68	70/450	375.8	冷房定格 Rated Cooling
	GTH315UV	31.50	10175	34717	4.58	70/450	375.8	冷房定格 Rated Cooling
	ATH345MV	31.50	9925	33864	3.83	70/450	378.4	冷房定格 Rated Cooling

■ 除湿机压缩机 DEHUMIDIFIER COMPRESSOR

直流变频 T1 R134a/ DC INVERTER T1 R134A

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Rated Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA725SP	7.25	1090	3719	3.30	3600	162.6	ASHRAE/T

定速 R134a/ CONSTANT-SPEED R134A

[1φ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA272CV	2.72	280	955	2.20	4/450	143.0	ASHRAE/T
	BSA357CV	3.57	365	1245	2.15	4.7/450	143.0	ASHRAE/T
	BSA418CV	4.18	440	1501	2.10	6.5/400	143.0	ASHRAE/T
	BSA460UV	4.60	503	1716	2.62	8/400	162.6	ASHRAE/T
	BSA586UV	5.86	642	2191	2.77	6/450	172.6	ASHRAE/T
	BSA586HV	5.86	645	2201	3.00	8/450	185.1	ASHRAE/T
	BSA645CV	6.45	692	2361	2.35	6.5/450	169.0	ASHRAE/T
	BSA645UV	6.45	720	2457	2.78	8/450	172.6	ASHRAE/T
	BSA725SV	7.25	784	2675	2.53	6.5/500	162.6	ASHRAE/T
	BSA725UV	7.25	800	2730	2.71	8/450	172.6	ASHRAE/T
	BSA804SV	8.04	878	2996	2.68	12/400	177.6	ASHRAE/T
	BSA804HV	8.04	900	3071	2.91	8/450	177.6	ASHRAE/T
	BSA880HV	8.04	975	3327	2.91	10/450	177.6	ASHRAE/T

定速 R134a/ CONSTANT-SPEED R134A

[1φ]208-230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA357CN	3.57	462	1576	2.20	6.5/450	143.0	ASHRAE/T
	BSA357SN	3.57	480	1638	2.54	5/450	152.1	ASHRAE/T
	BSA418SN	4.18	557	1900	2.40	8/450	164.1	ASHRAE/T
	BSA460CN	4.60	605	2064	2.30	6.5/400	169.0	ASHRAE/T
	BSA460SN	4.60	615	2098	2.57	6.5/450	152.1	ASHRAE/T
	BSA586CN	5.86	793	2706	2.36	8/450	169.0	ASHRAE/T
	BSA645CN	6.45	848	2893	2.31	8/450	169.0	ASHRAE/T
	BSA725UN	7.25	964	3289	2.80	6.5/450	172.6	ASHRAE/T

定速 R134a/ CONSTANT-SPEED R134A

[1φ]115-120V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA272CW	2.72	340	1160	2.27	12/250	143.0	ASHRAE/T
	BSA418UW	4.18	553	1887	2.74	17/250	162.6	ASHRAE/T
	BSA418HW	4.18	562	1918	2.87	20/250	172.6	ASHRAE/T
	BSA460CW	4.60	605	2064	2.33	17/250	169.0	ASHRAE/T
	BSA586CW	5.86	783	2672	2.30	17/250	169.0	ASHRAE/T
	BSA620HW	6.20	840	2866	2.92	35/250	172.6	ASHRAE/T
	BSA645CW	6.45	878	2996	2.33	17/300	169.0	ASHRAE/T
	BSA645HW	6.45	880	3003	2.87	40/250	172.6	ASHRAE/T
	BSA725UW	7.25	945	3224	2.78	17/300	172.6	ASHRAE/T
	BSA725HW	7.25	965	3293	2.86	40/250	172.6	ASHRAE/T
	BSA750HW	7.50	993	3388	2.87	40/250	172.6	ASHRAE/T

定速 R134a/ CONSTANT-SPEED R134A

[1φ]100/100-110V 50/60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA357CR	3.57	450	1535	2.21	17/250	143.0	ASHRAE/T
	BSA357UR	3.57	455	1552	2.60	25/250	153.0	ASHRAE/T
	BSA460CR	4.60	584	1993	2.35	17/220	169.0	ASHRAE/T
	BSA586CR	5.86	789	2692	2.40	25/250	169.0	ASHRAE/T
	BSA645CR	6.45	840	2866	2.33	20/250	169.0	ASHRAE/T
	BSA725SR	7.25	945	3224	2.51	17/300	162.6	ASHRAE/T

定速 R290/ CONSTANT-SPEED R290

[1φ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	PSA325SV	3.25	445	1518	2.40	6.5/450	164.1	ASHRAE/T
	PSA357SV	3.57	495	1689	2.50	6.5/450	164.1	ASHRAE/T
	PSA520SV	5.20	722	2463	2.50	8.0/450	164.1	ASHRAE/T
	PSA586SV	5.86	835	2849	2.64	6.5/500	174.6	ASHRAE/T
	PSA645CV-4	6.45	945	3224	2.65	12/450	185.1	ASHRAE/T
	PSA725CV-5	7.25	1060	3617	2.60	12/450	185.1	ASHRAE/T
	PSA725SV	7.25	1060	3617	2.83	12/450	185.1	ASHRAE/T
	PSA804SV	8.04	1150	3924	2.43	20/450	180.9	ASHRAE/T

定速 R134a/ CONSTANT-SPEED R134A

[1φ]110V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA272HJ-1	2.72	360	1228	2.75	12/250	162.6	ASHRAE/T
	BSA325HJ	3.25	430	1467	2.81	15/250	162.6	ASHRAE/T
	BSA357UJ	3.57	465	1587	2.67	20/250	152.1	ASHRAE/T
	BSA357HJ	3.57	490	1672	2.90	17/250	162.6	ASHRAE/T
	BSA460UJ	4.60	615	2098	2.80	20/250	162.6	ASHRAE/T
	BSA460HJ	4.60	610	2081	3.00	20/250	172.6	ASHRAE/T
	BSA520HJ	5.20	704	2402	2.93	25/250	172.6	ASHRAE/T
	BSA535HJ	5.35	718	2450	2.92	25/250	172.6	ASHRAE/T
	BSA586UJ	5.86	780	2661	2.80	17/250	172.6	ASHRAE/T
	BSA586HJ	5.86	785	2678	2.92	25/250	172.6	ASHRAE/T

定速 R134a/ CONSTANT-SPEED R134A

[1φ]265V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA357CH	3.57	465	1587	2.21	6/450	155.5	ASHRAE/T

定速 R410A/ CONSTANT-SPEED R410A

[1φ]115-120V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	ASA330CW	3.30	845	2883	2.35	15/300	188.7	ASHRAE/T
	ASA458CW	4.58	1240	4231	2.40	17/400	188.7	ASHRAE/T

■ 轻商压缩机 LIGHT COMMERCIAL PACKAGED AC COMPRESSOR

定速 T1 R22/ CONSTANT-SPEED T1 R22

[3φ]380V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	THU40W*U	48.8	8197	27968	3.25	-	361.3	ASHRAE/T

定速 T1 R22/ CONSTANT-SPEED T1 R22

[3φ]380-415V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TE	TE680UC3	68.0	12750	43503	3.45	-	410.5	ASHRAE/T
	TE706UC3	70.6	13100	44697	3.38	-	410.5	ASHRAE/T
	TE800RC3	80.0	15050	51351	3.30	-	441.1	ASHRAE/T
	TE800UC3*1	80.0	15030	51282	3.33	-	441.1	ASHRAE/T
	TE800SC3*5	80.0	15900	54251	3.88	-	445.2	New GB
	TE855UC3	85.5	16000	54592	3.33	-	441.1	ASHRAE/T

定速 T1 R410A/ CONSTANT-SPEED T1 R410A

[3φ]380-415V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	ATH307UC3	30.7	7490	25556	3.08	-	375.8	ASHRAE/T
TE	ATE511UC3	51.1	12900	44015	3.03	-	414.6	ASHRAE/T
	ATE550UC3	55.0	14000	47768	3.06	-	414.6	ASHRAE/T
	ATE590UC3	59.0	14800	50498	3.04	-	414.6	ASHRAE/T
	ATE650UC3	65.0	16500	56298	3.00	-	445.2	ASHRAE/T

定速 T3 R410A/ CONSTANT-SPEED T3 R410A

[3φ]220V-230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	ATH307UG3	30.7	8950	30537	3.05	-	375.8	ASHRAE/T
	ATH356UG3	35.6	10350	35314	3.04	-	375.8	ASHRAE/T
	ATH410UG3	40.8	11900	40603	2.98	-	375.8	ASHRAE/T

定速 T1 R410A/ CONSTANT-SPEED T1 R410A

[3φ]208V-230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TE	ATE401UN3	40.1	12400	42309	3.09	-	414.6	ASHRAE/T
	ATE440UN3	44.0	13450	45891	3.06	-	414.6	ASHRAE/T
	ATE470UN3	47.0	14760	50361	3.06	-	414.6	ASHRAE/T
	ATE498UN3	49.8	15500	52886	3.05	-	414.6	ASHRAE/T
	ATE550UN3	55.0	17280	58959	3.00	-	414.6	ASHRAE/T
	ATE590SN3	59.0	18300	62440	3.00	-	445.2	ASHRAE/T

定速 T1 R410A/ CONSTANT-SPEED T1 R410A

[3φ]380V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	ATH356SM3	35.6	10450	35655	3.03	-	400.7	ASHRAE/T
	ATH420SM3	42.0	12250	41797	3.00	-	400.7	ASHRAE/T
TE	ATE470UM3	47.0	14700	50156	3.06	-	414.6	ASHRAE/T
	ATE498UM3	49.8	15400	52545	3.04	-	414.6	ASHRAE/T
	ATE550UM3	55.0	17300	59028	3.00	-	414.6	ASHRAE/T
	ATE590SM3	59.0	18300	62440	3.00	-	445.2	ASHRAE/T

定速 T3 R22/ CONSTANT-SPEED T3 R22

[1φ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	TH470MV	47.0	8100	27637	3.15	70/450	380.7	ASHRAE/T
	TH508MV-1	50.8	8725	29770	3.15	95/450	380.7	ASHRAE/T
	TH532MV	53.2	9150	31220	3.12	90/450	395.6	ASHRAE/T
	TH550MV	55.0	9600	32755	3.08	90/450	395.6	ASHRAE/T
TE	TE590UV	59.0	10760	36713	3.36	80/450	410.5	ASHRAE/T

定速 T1 R22/ CONSTANT-SPEED T1 R22

[1φ]208-230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	TH508SG	50.8	10990	37498	3.28	90/450	380.7	ASHRAE/T

定速 T3 R410A/ CONSTANT-SPEED T3 R410A

[1φ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
SH	ASH295UV	29.5	7200	24566	3.01	70/450	325.5	ASHRAE/T
TH	ATH300MV	30.0	7220	24635	3.00	70/450	375.8	ASHRAE/T
	ATH325MV	32.5	7860	26818	2.98	70/450	375.8	ASHRAE/T
	ATH345MV	34.5	8400	28661	2.97	70/450	375.8	ASHRAE/T
	ATH356MV	35.6	8550	29173	2.90	55/450	375.8	ASHRAE/T
	ATH380MV	38.0	10220	34871	3.90	90/450	378.4	New GB
	ATH420MV	41.8	10060	34325	2.90	90/450	375.8	ASHRAE/T

定速 T1/T3 R410A/ CONSTANT-SPEED T1/T3 R410A

[1φ]208-230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	ATH280DG-1	28.0	9200	31390	3.90	70/450	375.8	New GB
	ATH307DG	30.7	9050	30879	3.01	70/450	375.8	ASHRAE/T
	ATH356UN	35.6	10520	35894	2.95	90/450	375.8	ASHRAE/T
	AUE401UN	40.1	16720	57049	5.97	80/450	411.9	DOE B
	ATE440UN	44.0	13500	46062	3.10	80/450	414.6	ASHRAE/T
	AUE470UN	47.0	19740	67353	6.05	70/450	411.9	DOE B
	ATE498UN	49.8	15500	52886	3.01	80/450	414.6	ASHRAE/T
	ATE518UN	51.8	15800	53910	2.88	80/450	414.6	ASHRAE/T
	ATE550UN	55.0	17400	59369	3.00	80/450	414.6	ASHRAE/T

定速 T1/T3 R32/ CONSTANT-SPEED T1/T3 R32

[1φ]208-230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
L	GUL140RN	14.0	5000	17060	4.13	/	305.4	New GB
	GUL175RN	17.5	6300	21496	4.20	/	305.4	New GB
H	GUH222RN	22.2	7940	27091	4.20	/	354.5	New GB
	GUH275RN	27.5	9745	33250	3.93	/	403.5	New GB
TE	GTE401UN	40.1	14100	48109	4.01	80/450	414.6	New GB
	GTE455UN	45.5	15950	54421	4.03	70/450	414.6	New GB

定速 T1 R32/R410A/ CONSTANT-SPEED T1 R32/R410A

[1φ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
H	GSH286SV-4C	28.6	8320	28388	3.76	60/450	315.5	New GB
	GSH295SV-4C	29.5	8600	29343	3.80	60/450	315.5	New GB
TH	GTH270UV	27.0	8825	30111	4.67	60/450	380.4	冷房定格 Rated Cooling
	GTH290UV	29.0	9400	32073	4.68	70/450	375.8	冷房定格 Rated Cooling
	ATH300UV	30.3	8640	29480	3.98	60/450	366.6	New GB
	GTH315UV	31.5	10175	34717	4.58	70/450	375.8	冷房定格 Rated Cooling
	ATH345MV	34.5	9900	33779	3.81	70/450	378.4	New GB
	GTH356MV	35.6	10500	35826	3.67	55/450	375.8	New GB
	GTH380MV	38.0	10850	37020	3.90	90/450	378.4	New GB
	GTH420MV	41.8	11950	40773	3.84	90/450	375.8	New GB

定速 T1 R32/R410A/ CONSTANT-SPEED T1 R32/R410A

[3φ]380-415V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	GTH275UC3	27.5	7910	26989	4.12	-	360.4	New GB
	GTH325UC3	32.5	9360	31936	4.09	-	378.4	New GB
	GTH345UC3	34.5	9860	33642	4.06	-	400.7	New GB
	GTH380UC3	38.0	10880	37123	3.98	-	378.4	New GB
	GTH420UC3	41.8	11900	40603	3.90	-	400.7	New GB
	GTH460UC3	46.0	12400	42309	3.96	-	427.8	New GB
	ATH489UC3	48.5	13850	47256	4.01	-	427.8	New GB
	ATH550UC3	55.0	15350	52374	3.83	-	425.2	New GB
TE	GTE498UC3-1	49.8	14900	50839	4.10	--	414.6	New GB
	GTE550UC3	55.0	16100	54933	4.11	-	414.6	New GB
	GTE590UC3	59.0	17350	59198	4.10	-	414.6	New GB
	GTE690UC3	69.0	20100	68581	3.95	-	445.2	New GB
	GTE752UC3	75.2	22000	75064	3.93	-	445.2	New GB

直流变频 T1 R410A/R32/ DC INVERTER T1 R410A/R32

[1φ]220-240V/[3φ]380-415V

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	GSD145CKQ-C	14.5	5200	17742	4.33	3600	240.9	New GB
	GSD145RKQ-C	14.5	5260	17947	4.58	3600	240.9	New GB
	GSD145RKR-C	14.5	5290	18049	4.55	3600	235.5	New GB
TD	GTD141RKQ-C	14.1	5055	17248	4.43	3600	235.7	New GB
	GTD186CKQ-C	18.6	6820	23270	4.36	3600	242.2	New GB
	GTD186RKQ-C	18.6	6800	23202	4.42	3600	291.7	New GB
	GTD226CKQ-C	22.6	8230	28081	4.28	3600	267.1	New GB
	GTD226RKQ-C	22.6	8300	28320	4.40	3600	285.6	New GB
	GTD226CKN-C	22.6	8290	28285	4.32	3600	291.0	New GB
	WHP12500GRKN-C	22.6	8150	27808	4.40	3600	291.7	New GB
	GTD255UKQ-C	25.5	9250	31561	4.34	3600	313.5	New GB
	WHP12900GSKP-C	28.0	10129	34560	4.24	3600	317.7	New GB
TH	WHP11600GSKP	30.7	9880	29343	4.18	3300	328.0	New GB
	GTH420CKP	42.0	14400	49133	4.13	3600	341.1	New GB
	GTH420SKP	42.0	13700	46744	4.25	3300	328.0	New GB
	GTH420UKQ	42.0	14400	49133	4.30	3600	341.1	New GB
	ATH550CKQ	55.0	19080	65103	4.03	3600	407.7	New GB
	GTH550SKP	55.0	19080	65103	4.22	3600	405.8	New GB
	GTH550SKR	55.0	19080	65103	4.25	3600	405.8	New GB
	ATH650SKQ	65.0	22700	77455	4.10	3600	432.2	New GB
TE	ATE650SKT	65.0	20920	71381	3.15	3600	443.0	ASHRAE/T

直流变频 T3 R410A/R32/ DC INVERTER T3 R410A/R32

[1φ]220-240V/[3φ]380-415V

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TD	GTD226XKS-C	22.6	8250	28150	4.45	3600	290.5	New GB
	GTD255XKS-C	25.5	9250	31562	4.32	3600	290.5	New GB
TH	GTH307UKS	30.7	10820	36919	4.27	3600	328.0	New GB
	ATH356SKT	35.6	10100	34462	3.28	3300	338.6	ASHRAE/T
	WHP15600GUKT-C	42.0	11800	40263	3.25	3300	338.6	ASHRAE/T
	GTH460UKT	46.0	16000	54594	4.30	3600	380.8	New GB
	GTH550SKR	54.8	19080	65103	4.25	3600	405.8	New GB

轻商压缩机
LIGHTCOMMERCIAL PACKAGED AC COMPRESSOR

直流变频 T1 R410A/ DC INVERTER T1 R410A（并联应用）

[3φ]380-415V

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	ATH550SKR-P	54.8	15600	53229	3.24	3300	405.8	ASHRAE/T
	ATH650SKQ-P	63.8	22450	76602	4.08	3600	432.2	New GB
TE	ATE650SKT-P	65.0	20920	71381	3.15	3600	443.0	ASHRAE/T
	ATE752SKT-P	75.2	24450	83426	3.12	3600	443.0	ASHRAE/T
	ATE848SKT-P	84.8	27600	94174	3.06	3600	443.0	ASHRAE/T

直流变频 T1 R32/R410A/ DC INVERTER T1 R32/R410A（高速应用）

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TD	WHP09360GRKN-C	18.6	6800	23202	4.40	3600	291.7	New GB
	WHP12500GRKN-C	22.6	8150	27808	4.40	3600	291.7	New GB
	WHP12900GSKH-C	28.0	9960	33984	4.27	3600	328.5	New GB
TH	WHP21600GUKN-C	42.0	14900	50839	4.28	3600	380.8	New GB

直流变频 T1 R410A/ DC INVERTER T1 R32（补气增焓）

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TD	WHP09100GEKQ-C	22.6	6830	23305	3.02	3600	268.4	ASHRAE/T
	WHP12900GEKH-C	28.0	8230	28082	3.00	3600	328.5	ASHRAE/T
TH	GTH307EKS-C	30.7	10810	36885	4.17	3600	328.0	New GB
	GTH356EKQ-C	35.6	12375	42226	4.14	3600	380.9	New GB
	GTH420EKQ-C	42.0	14600	49817	4.11	3600	380.9	New GB
	GTH550EKR-C	54.8	19600	66875	4.05	3600	405.7	New GB
TE	GTE650EKT-C	65.0	24000	81890	4.08	3600	443.0	New GB
	GTE848EKT-C	84.8	32200	109870	3.88	3600	443.0	New GB

北美直流变频 T1 R454B/ DC INVERTER T1 R454B

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TD	MTD150RKR	15.0	4780	16309	4.37	3600	280.5	New GB
	MTD226RKQ	22.6	7350	25078	4.45	3600	291.7	New GB
	MTD255XKS	25.5	8250	28150	4.35	3600	290.5	New GB
	MTD280SKP	28.0	8120	27705	3.29	3600	328.5	ARI
TH	MTH356SKP	35.6	10350	35314	3.25	3600	341.1	ARI
	MTH420SKP	42.0	12230	41729	3.24	3600	341.1	ARI
	MTH420UKQ	42.0	12230	41729	3.30	3600	321.1	ARI
	MTH550UKP	55.0	16500	56298	3.27	3600	405.8	ARI
TE	MTE848SKT	84.8	24160	82434	4.40	3600	443.0	New GB

北美定速 T1 R454B/ CONSTANT-SPEED T1 R454B

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
L	MUL157	15.7	6000	20472	6.25	3500	318.8	DOE B
H	MUH205	20.5	7840	26750	6.25	3500	346.8	DOE B
	MUH255	25.5	9860	33642	6.25	3500	362.7	DOE B
TH	MUH315	31.5	12050	41115	6.08	3500	412.8	DOE B
	MUH325	32.5	12440	42445	6.00	3500	412.8	DOE B
TE	MUE425	42.5	16700	56980	6.15	3500	411.9	DOE B
	MUE498	49.8	19480	66466	6.15	3500	411.9	DOE B

■ 热泵热水器专用压缩机 COMPRESSOR FOR HPWH

定速 R134a 立式压缩机/ CONSTANT-SPEED R134A VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP00430BCV	2.72	417	1423	3.28	4/450	152.1	ASHRAE/T
	WHP00535BCV	3.57	556	1897	3.16	6.5/450	152.1	ASHRAE/T
	WHP00680BUV	4.60	714	2436	3.78	6/450	172.6	ASHRAE/T
	WHP00680BSX	4.60	714	2436	3.45	6/450	163.2	ASHRAE/T
	WHP00990BCV	6.45	975	3327	3.55	7/450	185.1	ASHRAE/T
D	WHP00930BSV	6.30	941	3211	3.90	10/400	195.0	ASHRAE/T
	WHP00930BUV	6.30	951	3245	4.00	10/450	217.4	ASHRAE/T
	WHP01600BSV	10.20	1605	5476	4.02	25/450	231.0	ASHRAE/T
	WHP01900BSV	12.20	1825	6227	4.00	15/400	232.9	ASHRAE/T
	WHP01900BUV	12.20	1895	6466	4.20	15/400	237.9	ASHRAE/T
	WHP01900BHV	12.20	1882	6421	4.20	20/450	237.9	ASHRAE/T
	WHP02250BUV	14.50	2205	7523	4.20	20/420	242.9	ASHRAE/T
G	WHP02720BSV	17.30	2590	8837	4.11	20/400	256.0	ASHRAE/T
L	WHP02830BUV	18.00	2805	9571	4.22	25/420	292.5	ASHRAE/T
	WHP02830BSX	18.00	2770	9451	4.08	35/400	264.0	ASHRAE/T
	WHP03970BSX	25.30	3895	13290	4.10	35/450	264.0	ASHRAE/T
	WHP03970BUV	25.30	3860	13170	4.24	35/450	287.5	ASHRAE/T
H	WHP05100BSX	33.60	5270	17981	4.05	50/450	289.0	ASHRAE/T
	WHP05100BUV	33.60	5230	17845	4.39	45/450	304.0	ASHRAE/T
	WHP06000BSX	38.00	5810	19824	4.34	40/450	320.9	ASHRAE/T
TH	WHP07650BSX	48.80	7700	26272	4.05	60/450	372.7	ASHRAE/T

定速 R134a 立式压缩机/ CONSTANT-SPEED R134A VERTICAL COMPRESSOR

[1φ]208-230V 60HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP01620BSQ	8.60	1611	5497	4.17	12/400	227.9	ASHRAE/T
	WHP01620BUX	8.60	1578	5384	4.36	12/400	237.9	ASHRAE/T
	WHP02250BCN	12.20	2235	7626	4.06	17/400	232.9	ASHRAE/T
	WHP02350BSX	14.50	2750	9383	4.18	25/400	218.0	ASHRAE/T
L	WHP02780BCN	14.50	2720	9281	4.06	30/450	277.5	ASHRAE/T
	WHP04400BCN	23.20	4365	14893	4.10	35/400	277.5	ASHRAE/T

定速 R134a/R513A/R1234yf 多冷媒 立式压缩机/ CONSTANT-SPEED R134A/R513A/R1234YF VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP00535BCV	3.57	535	1825	3.15	4.7/450	143.0	ASHRAE/T
	WHP00990VSV	6.45	1054	3596	3.55	7/450	185.1	ASHRAE/T
D	WHP00930VUV	6.30	1003	3422	4.00	10/450	217.4	ASHRAE/T
	WHP01900VUV	12.20	1975	6739	4.20	15/400	237.9	ASHRAE/T
L	WHP02830VUX	18.00	2915	9946	4.22	25/420	292.5	ASHRAE/T
	WHP03970VUX	25.30	4040	13784	4.24	35/450	287.5	ASHRAE/T
H	WHP05100VUX	33.60	5490	18732	4.39	45/450	304.0	ASHRAE/T

定速 R1234ze 立式压缩机/ CONSTANT-SPEED R2134ZE VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP01900ZSV	16.00	1840	6278	4.00	15/400	227.9	ASHRAE/T
	WHP01900ZUV	16.00	1840	6278	4.20	15/420	242.9	ASHRAE/T

定速 R290 立式压缩机/ CONSTANT-SPEED R290 VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP01100PSV	5.86	1128	3849	3.72	12/450	190.7	ASHRAE/T
D	WHP00950PSV	5.00	960	3276	4.10	12/450	209.0	ASHRAE/T
	WHP01750PSV	8.90	1740	5937	4.30	15/400	219.0	ASHRAE/T
	WHP02000PSV	10.20	2030	6926	4.23	15/400	219.0	ASHRAE/T
	WHP02600PSV	13.50	2605	8888	4.14	17/400	227.9	ASHRAE/T
	WHP03300PSV	17.00	3442	11744	4.34	25/400	238.4	ASHRAE/T
TH	WHP09400PSV	47.00	9375	31988	4.43	50/450	358.9	ASHRAE/T

定速 R22 立式压缩机/ CONSTANT-SPEED R22 VERTICAL COMPRESSOR

[3φ]380V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	WHP09800RCC	44.60	9810	33472	4.25	-	347.7	ASHRAE/T
TE	TE800RC3Q9JK	80.00	19610	66909	4.30	-	441.1	ASHRAE/T

定速 R22 立式压缩机/ CONSTANT-SPEED R22 VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP01860RSV	8.60	1905	6500	4.10	15/420	234.1	ASHRAE/T
	WHP02300RCV	10.20	2307	7871	4.00	17/450	225.0	ASHRAE/T
	WHP02700RCV	12.20	2700	9212	4.03	17/450	227.9	ASHRAE/T
	WHP03200RSV	14.50	3300	11260	4.13	30/400	235.7	ASHRAE/T
	WHP03520RCV	16.00	3520	12010	3.96	35/400	232.9	ASHRAE/T
G	WHP03500RCV	16.20	3520	12010	4.05	35/450	263.3	ASHRAE/T
	WHP04780RCV	21.00	4775	16292	4.00	45/450	268.3	ASHRAE/T
L	WHP04700RCV	21.10	4700	16036	4.05	35/400	279.0	ASHRAE/T
	WHP07300RUV	32.50	7310	24942	4.13	40/450	300.5	ASHRAE/T
TH	WHP09500RCV	42.90	9590	32721	4.19	65/450	358.9	ASHRAE/T
	WHP09800RCV	44.60	9930	33881	4.17	50/450	358.9	ASHRAE/T

定速 R410A/R32 立式压缩机/ CONSTANT-SPEED R410A/R32 VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP03050ASV	9.60	3040	10372	3.90	25/400	249.1	ASHRAE/T
	WHP03250ASV	10.20	3273	11167	3.74	30/400	239.1	ASHRAE/T
	WHP03650ASV	11.30	3610	12317	3.92	30/450	249.1	ASHRAE/T
G	WHP04600ASV	14.00	4555	15542	3.94	50/450	261.0	ASHRAE/T
L	WHP06800ASV	21.10	6790	23167	3.88	60/450	314.0	ASHRAE/T
TH	WHP10100ASV	32.50	10500	35826	3.98	70/450	375.8	ASHRAE/T
	WHP13500GUV	41.80	13540	46198	3.89	120/400	375.8	ASHRAE/T
TE	WHP17500ASV	51.80	17850	60904	4.10	100/450	445.2	ASHRAE/T

定速 R410A 立式压缩机/ CONSTANT-SPEED R410A VERTICAL COMPRESSOR

[3φ]380V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	VTH420UC	42.00	13500	46062	4.03	-	375.8	ASHRAE/T
	WHP14700ASC	44.70	14610	49849	3.99	-	393.8	ASHRAE/T
	WHP18000ASC	55.00	17665	60273	3.95	-	400.7	ASHRAE/T
TE	WHP17500ASC	51.80	17500	59710	4.02	-	414.6	ASHRAE/T
	WHP19800ASC	59.00	19800	67558	4.00	-	445.2	ASHRAE/T
	ATE752UC3	75.20	25865	88251	4.00	-	445.2	ASHRAE/T

■ 泳池热泵专用压缩机 HEAT PUMP COMPRESSOR FOR SWIMMING POOL

定速 R32 立式压缩机/ CONSTANT-SPEED R32 VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP02400GCV	7.10	2430	8291	3.57	17/450	219.0	ARI-A
	WHP02900GCV	8.20	2740	9349	3.70	17/450	238.8	ARI-A
	WHP03145GCV	9.20	3145	10724	3.59	24/450	229.1	ARI-A
	WHP04350GUV	12.50	4300	10724	3.8	30/400	241.4	ARI-A
G	WHP03570GUV	10.20	3420	11669	3.76	30/450	261.0	ARI-A
	WHP04500GCV	13.00	4600	15695	3.71	45/450	261.0	ARI-A
	WHP04800GUV	13.50	4460	15218	3.84	30/450	242.1	ARI-A
L	WHP06670GUV	18.50	6431	21930	3.78	45/450	289.0	ARI-A
H	WHP06760GUV	19.00	6560	22383	3.95	45/450	301.1	ARI-A
TH	WHP09740GUV	27.00	7040	24020	3.92	60/450	380.4	ARI-A
	WHP11270GUV	31.50	10900	37191	3.90	70/450	375.8	ARI-A
	WHP13500GUV	42.00	14280	48723	3.88	90/450	375.8	ARI-A

定速 R32 立式压缩机/ CONSTANT-SPEED R32 VERTICAL COMPRESSOR

[3φ]380V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
TE	WHP15860GUC	44.00	15300	52204	3.92	-	414.6	ARI-A

DC变频 R410A 立式压缩机/ DC INVERTER R410A VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP04000VRK	10.20	4035	13767	4.09	3600	226.5	ASHRAE/T
	WHP05600AUK	14.10	5755	19636	4.20	3600	261.7	ASHRAE/T
	WHP07850AUK	18.60	7850	26784	4.35	3600	261.7	ASHRAE/T
	WHP09100AUK	22.60	9100	31049	4.30	3600	291.7	ASHRAE/T
TH	WHP15600ASD	42.00	17040	58140	4.26	3600	375.8	ASHRAE/T
	ATH550SKR	55.00	22600	77111	4.27	3600	405.8	ASHRAE/T

热泵专用压缩机
Compressor For Heat Pump

DC变频 R32 立式压缩机/ DC INVERTER R32 VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP03400ARK	8.80	3750	12795	4.38	3600	230.9	ARI-A
	WHP03800GCK	9.80	4115	14040	4.28	3600	203.5	ARI-A
	WHP04430GRK	10.20	4370	14910	4.41	3600	226.5	ARI-A
	WHP06100GRK	15.00	6275	21410	4.30	3600	235.0	ARI-A
	WHP06840GUK	14.10	6850	23372	4.37	4020	261.7	ARI-A
	WHP09100GXK	21.60	8500	29002	4.37	3600	273.7	ARI-A
	WHP09100GRK	22.60	9010	30742	4.35	3600	273.7	ARI-A

■ 低温热泵采暖专用压缩机 HEAT PUMP COMPRESSOR FOR FLOOR HEATING&SPACE HEATING

定速 R410A 立式压缩机/ CONSTANT-SPEED R410A VERTICAL COMPRESSOR

[1ϕ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
H	WHP06900AEV	20.10	6090	20779	3.76	50/450	301.1	ASHRAE/T
TH	WHP10100AEV	30.70	10190	34768	3.76	70/450	375.8	ASHRAE/T
	WHP13500AEV	42.90	13700	46744	3.60	120/400	375.8	ASHRAE/T
	WHP14500AEV	45.40	14582	49754	3.56	120/400	375.8	ASHRAE/T
TE	WHP17500AEV	51.80	17540	59846	3.81	100/450	414.6	ASHRAE/T

定速 R410A 立式压缩机/ CONSTANT-SPEED R410A VERTICAL COMPRESSOR

[3ϕ]380V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	WHP16000AEM	42.90	16490	56264	3.76	-	375.8	ASHRAE/T
	WHP18000AEC	55.00	17605	60068	3.70	-	400.7	ASHRAE/T
TE	WHP17500AEC	51.80	15318	52265	3.72	-	414.6	ASHRAE/T
	WHP19800AEC	59.00	20090	68547	3.86	-	445.2	ASHRAE/T
	WHP26000ASC	75.20	25630	87450	3.87	-	443	ASHRAE/T
	WHP26000AEC	75.20	25750	87859	3.79	-	443	ASHRAE/T

DC变频 R410A/R32 立式压缩机/ DC INVERTER R410A/R32 VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
SD	WHP05800AEK	14.50	6130	20916	4.09	3600	241.2	ASHRAE/T
TD	WHP04200AEK	11.00	4335	14791	4.15	3600	261.70	ASHRAE/T
	WHP05600AEK	14.10	5600	19107	4.12	3600	261.70	ASHRAE/T
	WHP07850AEK	18.60	7590	25897	4.06	3600	261.70	ASHRAE/T
	WHP09100AEK	22.60	8900	30367	4.05	3600	268.40	ASHRAE/T
	WHP09100GEK	22.60	8900	30367	4.15	3600	268.40	ASHRAE/T
	WHP12900GEK	28.00	11102	37880	4.01	3600	309.00	ASHRAE/T
TH	WHP09500AED	25.40	10160	34666	4.05	3600	375.80	ASHRAE/T
	WHP11500AED	30.70	12670	43230	4.00	3600	375.80	ASHRAE/T
	WHP15600AEK	42.00	17490	59676	4.09	3600	363.10	ASHRAE/T
	WHP13100AED	35.60	14820	50566	3.88	3600	375.80	ASHRAE/T
	WHP15600AED	42.00	17550	59881	3.90	3600	375.80	ASHRAE/T
	WHP23000AED	55.00	23400	79841	4.03	3600	400.70	ASHRAE/T
	WHP23000GEK	55.00	22800	77794	3.94	3600	405.70	ASHRAE/T
TE	WHP28600AEK	65.00	28500	97242	4.06	3600	446.50	ASHRAE/T
	WHP32900AEK	75.20	32300	110208	4.06	3600	446.50	ASHRAE/T
	WHP37000AEK	84.80	37457	127804	3.80	36000	446.50	ASHRAE/T

DC变频 R410A/R452B/R454B/R454C 多冷媒 立式压缩机/ DC INVERTER R410A/R452B/R454B/R454C VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP04200VRK	11.00	4340	14808	4.25	3600	251.7	ASHRAE/T
	WHP05600VUK	14.10	5622	19182	4.18	3600	261.7	ASHRAE/T
	WHP09100VUK	22.60	9235	31510	4.20	3600	291.7	ASHRAE/T
TH	WHP15600VSD	42.00	17400	59369	4.18	3600	375.8	ASHRAE/T
	WHP15600VSK	42.00	17400	59369	4.24	3600	363.1	ASHRAE/T
	WHP23000VSD	55.00	22850	77964	4.23	3600	400.7	ASHRAE/T
TE	WHP32900VSK	75.20	32900	112255	4.20	3600	443.0	ASHRAE/T

DC变频 R290 立式压缩机/ DC INVERTER R290 VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP03300PRK	14.00	3389	11563	4.78	3600	206.5	ASHRAE/T
	WHP03600PRK	15.00	3570	12181	4.72	3600	261.7	ASHRAE/T
	WHP05500PSD	22.60	5500	18766	4.74	3600	291.7	ASHRAE/T
	WHP07600PSK	28.00	6655	22707	4.67	3600	319.1	ASHRAE/T
TH	WHP07600PSD	30.70	7475	25505	4.73	3600	322.9	ASHRAE/T
	WHP10200PSD	42.00	10180	34734	4.72	3600	322.9	ASHRAE/T
	WHP13300PSD	55.00	13320	45448	4.76	3600	261.7	ASHRAE/T
TE	WHP32900VSK	75.20	18160	61962	4.70	3600	443.0	ASHRAE/T

■ 热泵干衣机压缩机 COMPRESSOR FOR HEAT PUMP DRIER

定速 R290 立式压缩机/ CONSTANT-SPEED R290 VERTICAL COMPRESSOR

[1ϕ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	PSA580DV5	5.80	1210	4129	2.87	25/449	173.4	HPD
	PSA580DV6	5.80	1220	4163	3.18	17/450	183.4	HPD
	PSA630DV8	6.30	1300	4436	3.13	15/450	193.4	HPD
	PSA680DV3	6.80	1440	4913	3.4	12/450	193.4	HPD
	PSA680DV6	6.80	1440	4913	3	20/450	183.4	HPD
	PSA680DV8	6.80	1440	4913	3.21	15/450	193.4	HPD
D	PSD058DV6	5.80	1225	4180	3.33	15/450	201.8	HPD
	PSD063DV5	6.30	1325	4521	3.14	15/450	192.6	HPD
	PSD063DV8	6.30	1330	4538	3.45	15/450	212.7	HPD
	PSD063DV2	6.30	1330	4538	3.50	15/450	201.8	HPD
	PSD063DV3	6.30	1330	4538	3.62	12/450	212.7	HPD
	PSD068DV6	6.80	1440	4913	3.31	17/400	201.8	HPD
	PSD068DV8	6.80	1440	4913	3.40	15/400	212.7	HPD
	PSD070DV5	7.00	1475	5033	3.13	20/400	192.6	HPD
	PSD070DV6	7.00	1475	5033	3.28	17/400	201.8	HPD
	PSD070DV2	7.00	1475	5033	3.50	15/400	201.8	HPD
	PSD070DV3	7.00	1475	5033	3.62	12/400	212.7	HPD
	PSD080DV5	8.00	1685	5749	3.20	20/450	192.6	HPD
	PSD080DV7	8.00	1685	5749	3.33	17/400	206.2	HPD
	PSD080DV3	8.00	1685	5749	3.62	17/400	212.7	HPD

DC变频 R290 立式压缩机/ DC INVERTER R290 VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	PSA586SKR	5.86	1600	5459	4	3600	222.0	HPD
	PSA725SKR	7.25	1980	6756	4.08	3600	222.0	HPD
D	PSD071CK	7.10	1925	6568	3.75	3600	177.5	HPD
X	PSX073SKV	7.30	1945	6636	3.90	3600	174.7	HPD
	PTX076SKV	7.60	1970	6722	3.85	3600	187.3	HPD

定速 R134a 立式压缩机/ CONSTANT-SPEED R134A VERTICAL COMPRESSOR

[1ϕ]220-240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA586DV5	5.86	960	3276	2.82	20/450	174.7	HPD
	BSA586DN	5.86	1175	4009	3.22	10/450	185.0	HPD
	BSA645DV	6.45	1107	3777	3.18	10/450	209.3	HPD
	BSA725DV	7.25	1190	4060	2.90	12/450	208.4	HPD
	BSA725DV2	7.25	1235	4214	3.25	12/450	184.5	HPD
	BSA725DV6	7.25	1230	4197	2.80	20/450	188.0	HPD
	BSA725DV8	7.25	1235	4214	2.94	15/450	195.3	HPD
	BSA880DN	8.80	1870	6380	3.29	17/450	184.0	HPD
D	VSD080DV	8.00	1410	4811	3.38	17/400	184.5	HPD
	BSD082DN	8.20	1766	6026	3.41	20/400	203.0	HPD
	BSD086DV5	8.60	1535	5237	3.04	25/400	182.8	HPD
	VSD092DV	9.20	1600	5459	3.33	17/400	186.0	HPD
	VSD092DV5	9.20	1650	5630	3.13	20/450	196.3	HPD
	VSD102DV	10.20	1800	6142	3.33	25/400	223.0	HPD
	BSD113DV	11.30	1940	6619	3.21	20/400	191.7	HPD
	BSD122DV	12.20	2180	7438	3.20	17/400	198.9	HPD
	BSD122DN	12.20	2655	9059	3.30	17/450	199.0	HPD
	BSD156DV	15.60	2730	9315	3.28	25/400	220.9	HPD

DC变频 R134a 立式压缩机/ DC INVERTER R134A VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制热量 Heating Capacity (W)	制热量 Heating Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	BSA586SKQ	5.86	1260	4299	3.70	3600	170.0	HPD
	BSA804SKQ	8.04	1744	5951	3.73	3600	171.0	HPD
D	BSD071CK	7.10	1615	5510	3.89	3600	210.0	HPD

热泵专用压缩机
Compressor For Heat Pump

■ 冷藏冷冻用压缩机 COMPRESSOR FOR REFRIGERATION AND FREEZING

测试工况 Testing Condition	冷凝温度 Condensing Temp (°C)	蒸发温度 Evaporating Temp (°C)	过冷温度 Subcooling Temp(°C)	过热温度 Superheating Temp (°C)	环境温度 Ambient Temp (°C)
冷藏 Refrigeration	54.4	-6.7	8.3	35.0	35.0
冷冻 Freezing	54.4	-23.3	22.2	18.3	32.2

定速 R404A 卧式压缩机/ CONSTANT-SPEED R404A HORIZONTAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	DDD127CV	12.70	1480	5051	1.83	30/450	145.0	冷藏工况 RC
L	DDL160SX	16.00	2141	7305	1.89	35/450	163.0	冷藏工况 RC
	DDL211SX	21.10	2400	8191	1.86	45/450	163.0	冷藏工况 RC
TH	DBH307LV	30.70	1950	6655	1.25	60/420	160.5	冷冻工况 FC
	DBH356LV	35.60	2235	7628	1.28	60/420	160.5	冷冻工况 FC
[3φ]200V~220V 50Hz/60Hz(注：50Hz是数据 Data@50Hz)								
H	DDH254LS3	25.40	1550	5290	1.35	-	160.5	冷冻工况 FC
	DDH356LS3	35.60	2290	7816	1.36	-	160.5	冷冻工况 FC
	DBH488LS3	48.80	3100	10577	1.35	-	160.5	冷冻工况 FC
[3φ]380V 50Hz								
TH	DBH488LC3	48.80	2970	10137	1.24	-	160.5	冷冻工况 FC

定速 R404A 立式压缩机/ CONSTANT-SPEED R404A VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	DSD063SV	6.30	640	2184	1.8	17/400	236.3	冷藏工况 RC
	DSD096SV	9.60	1065	3635	2.01	35/450	241.4	冷藏工况 RC
	DSD113SV	11.30	1180	4027	1.9	35/450	241.4	冷藏工况 RC
	DSD145XV	14.50	1550	5290	1.82	35/450	232.9	冷藏工况 RC
L	DSL193LV	19.30	2091	7137	1.84	35/450	277.5	冷藏工况 RC
H	DSH254LV	25.40	1540	5254	1.15	50/450	289.0	冷冻工况 FC
	DSH356LV	35.60	2280	7779	1.19	50/450	303.0	冷冻工况 FC
TH	DTH488LV	48.80	3305	11277	1.30	60/450	372.7	冷冻工况 FC
[3φ]380V 50Hz								
TH	DTH488LC3	48.80	3305	11277	1.3	-	372.7	冷冻工况 FC
	DTH550LU3	55.00	3680	12556	1.35	-	400.7	冷冻工况 FC
TE	DTE752LC3	75.20	5650	19278	1.4	-	445.2	冷冻工况 FC
	DTE911LC3	91.10	6480	22110	1.17	-	441.1	冷冻工况 FC

定速 R22 立式压缩机/ CONSTANT-SPEED R22 VERTICAL COMPRESSOR

[3φ]380V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
G	SG167UV-ATBT5X	16.7	2780	9485	2.85	35/450	261.0	ASHRAE/T
TH	TH488FC3	48.80	5120	17469	2018	–	361.3	冷藏工况 RC
TE	TE800FC3	80.00	9370	31970	2.24	–	441.1	冷藏工况 RC

DC变频 R404A 卧式压缩机/ DC INVERTER R404A HORIZONTAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	VBD150LK	15.00	1085	3702	1.52	3000	145.0	冷冻工况 FC
TH	DBH250LD	25.40	1820	6210	1.82	3000	160.5	冷冻工况 FC
	DBH356LD	35.60	2580	8803	1.83	3000	160.5	冷冻工况 FC

DC变频 R404A 立式压缩机/ DC INVERTER R404A VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	DTD163LK	16.30	1270	4333	1.44	3300	261.7	冷冻工况 FC
TH	DTH254LD	25.40	2080	7097	1.46	3600	375.8	冷冻工况 FC
	DTH356LD	35.60	2900	9895	1.45	3600	375.8	冷冻工况 FC
	DTH420LD	42.00	3450	11771	1.47	3600	375.8	冷冻工况 FC
	DTH550LD	55.00	4460	15218	1.49	3600	400.7	冷冻工况 FC
TE	DTE752LK	75.20	5205	17759	1.35	3600	446.5	冷冻工况 FC

定速 R290 卧式压缩机/ CONSTANT-SPEED R290 HORIZONTAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	PDD122LV	12.20	650	2218	1.38	25/400	147.0	冷冻工况 FC
	PDD145LV	14.50	770	2627	1.43	25/400	147.0	冷冻工况 FC
	PDD160LV	16.00	860	2934	1.32	25/400	147.0	冷冻工况 FC

新兴领域用压缩机 NON-Residential AC Compressor

定速 R290 立式压缩机/ CONSTANT-SPEED R290 VERTICAL COMPRESSOR

[1φ]220-240V 50HZ & 208-230V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
G	PSG184SX	18.40	1640	5596	2.05	35/450	263.3	冷藏工况(50Hz) RC
L	PSL253SX	25.30	2370	8086	2.10	35/450	279.0	冷藏工况(50Hz) RC
H	PSH336SX	33.60	3090	10543	2.07	55/450	278.4	冷藏工况(50Hz) RC
TH	PTH420UX	42.00	3960	13512	2.29	60/450	358.0	冷藏工况(50Hz) RC
TH	WHP09800PSX	48.80	4600	15695	2.10	50/400	358.9	冷藏工况(50Hz) RC

■ 设备空调用压缩机 COMPRESSOR FOR EQUIPMENT COOLING SYSTEM

定速 R134a/ CONSTANT-SPEED R410A VERTICAL COMPRESSOR

[1φ]220~240V 50/60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP00680BSX	4.60	507	1730	2.45	6/450	163.2	ASHRAE/T
	WHP00680BSX-5	4.60	510	1740	2.35	15/450	183.2	ASHRAE/T
	WHP00990BCX	6.45	720	2457	2.22	8/450	162.6	ASHRAE/T
	WHP00990BCX-4	6.45	705	2405	2.27	17/450	166.1	ASHRAE/T
	WHP00990BCX-6	6.45	715	2440	2.24	20/450	187.6	ASHRAE/T
D	WHP01900BSX	12.20	1400	4777	2.77	25/450	198.9	ASHRAE/T
	WHP01900BSX-4	12.20	1430	4879	2.95	25/420	201.6	ASHRAE/T
	WHP01900BSX-8	12.50	1428	4872	2.76	30/420	221.2	ASHRAE/T
	WHP01900BSX-7	12.50	1450	4947	2.69	30/450	216.2	ASHRAE/T
G	BSG173SX-5	17.3	1960	6688	2.86	35/450	263.3	ASHRAE/T
TH	WHP07650BSX	48.80	5800	19790	3.05	60/450	372.7	ASHRAE/T

定速 R134a/ CONSTANT-SPEED R134A

[1φ]220~240V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP00530BCV-5	3.57	360	1228.32	1.76	15/450	154.0	ASHRAE/T
	WHP00990BCV-5	6.45	720	2456.64	2.35	12/450	162.6	ASHRAE/T
	BSA725DV-5	7.25	810	2763.72	2.40	20/450	174.6	ASHRAE/T
D	BSD156DV	15.60	1803	6151.836	3.02	25/400	220.9	ASHRAE/T

定速 R134a/R513A/R1234yf/ CONSTANT-SPEED R134A/R513A/R1234YF

[1φ]100~110V 50Hz/100~120V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP00535VCR	3.57	370	1262	2.06	17/250	143.0	ASHRAE/T
	WHP00990VCR	6.45	690	2354	2.20	20/250	143.0	ASHRAE/T
D	WHP01900VCR	12.20	1412	4818	3.17	50/250	237.9	ASHRAE/T

定速 R134a/R513A/R1234yf/ CONSTANT-SPEED R134A/R513A/R1234YF

[1φ]230V 50Hz/60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP00535VCT	3.57	370	1262	1.64	6.5/250	143.0	ASHRAE/T
	WHP00990VCT	6.45	695	2371	2.11	8/250	143.0	ASHRAE/T

定速 R134a/R513A/(R1234yf)/ CONSTANT-SPEED R134A/R513A/(R1234YF)

[1φ]220~240V 50Hz/60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP00430BCX	4.30	290	989	2.28	4/450	152.1	ASHRAE/T
	WHP00535BCX	3.57	376	1283	2.15	6.5/450	152.1	ASHRAE/T
	WHP00680VSX	4.60	507	1730	2.45	10/450	163.2	ASHRAE/T
D	WHP02400VCX	10.20	1183	4036	1.94	25/450	210.0	ASHRAE/T
	WHP01900VSX	12.20	1410	4810.92	3.07	17/400	236.4	ASHRAE/T
G	WHP03200BSX	21.00	2410	8223	3.10	20/400	268.3	ASHRAE/T
L	WHP02830BSX	18.00	2185	7455	3.22	25/400	279.0	ASHRAE/T
	WHP03970BSX	25.30	2950	10065	3.28	35/450	271.5	ASHRAE/T
H	WHP05100VUX	33.60	3935	13426	3.36	45/450	293.4	ASHRAE/T
	WHP07650VSX	48.80	5800	19790	3.05	60/450	372.7	ASHRAE/T

定速 R134a/R407C/R410A(R404A)/ CONSTANT-SPEED R134A/R407C/R410A(404A)

[3φ]200~220V 50Hz/60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
H	VSH254CS	25.40	3030	10338	3.39	–	312.9	ASHRAE/T
TH	VTH307CS	30.70	3640	12420	3.22	–	351.9	ASHRAE/T
	VTH488LS	48.80	5840	19926	3.19	–	361.3	ASHRAE/T

定速 R134a/R407C/R410A/ CONSTANT-SPEED R134A/R407C/R410A

[3φ]380~415V 50Hz/380~460V 60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	VSA645CU	6.45	725	2474	2.70	–	202.1	ASHRAE/T
D	VSD122CU	12.20	1400	4777	3.10	–	236.4	ASHRAE/T
H	VSH175CU	17.50	1950	6653	3.04	–	296.1	ASHRAE/T
	VSH244CU	24.40	2900	9895	3.22	–	312.9	ASHRAE/T
TH	VTH325CU	32.50	3860	13170	3.22	–	351.9	ASHRAE/T
	VTH420CU	42.00	5000	17060	2.85	–	375.8	ASHRAE/T
	VTH488CU	48.80	5915	20182	3.24	–	375.8	ASHRAE/T
TE	VTE650SU	65.00	8150	27808	3.33	–	441.1	ASHRAE/T

定速 R22 立式压缩机/ CONSTANT-SPEED R22 VERTICAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP03520RCV	16.00	2630	8974	2.95	35/400	232.9	ASHRAE/T
G	WHP04780RCV	21.00	3580	12215	3.00	45/450	268.3	ASHRAE/T
	WHP04780RCV-5	21.00	3560	12147	2.94	50/450	278.3	ASHRAE/T
L	WHP07300RUV	32.50	5540	18902	3.13	40/450	300.5	ASHRAE/T
TH	WHP09800RCV	44.60	7548	25754	3.17	50/450	358.9	ASHRAE/T

定速 R134a/R407C 立式压缩机/ CONSTANT-SPEED R134A/R407C VERTICAL COMPRESSOR

[1φ]220-240V 50HZ/60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP02400VCX	10.20	1727	5893	2.90	25/400	210.0	ASHRAE/T

定速 R22 立式压缩机/ CONSTANT-SPEED R22 VERTICAL COMPRESSOR

[1φ]220-240V 50HZ/60Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP01800RCV	8.40	1400	4777	3.00	25/400	196.0	ASHRAE/T
	WHP02300RCV	10.20	1730	5903	3.00	17/450	225.0	ASHRAE/T
	WHP02700RCV	12.20	1990	6790	2.95	17/450	227.9	ASHRAE/T
	WHP03200RSV	14.50	2430	8291	3.14	30/400	228.0	ASHRAE/T
G	WHP03500RCV	16.20	2650	9042	3.05	35/450	263.3	ASHRAE/T
L	WHP04700RCV	21.10	3540	12078	3.05	35/400	279.0	ASHRAE/T
H	WHP06940RCV	30.70	5200	17742	3.00	50/450	293.4	ASHRAE/T
TH	WHP09500RCV	42.90	7300	24908	3.19	65/450	358.9	ASHRAE/T

定速 R410A/(R32)立式压缩机

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP01900GSX	5.2	1155	3941	2.28	25/400	207.2	ASHRAE/T
D	WHP01580ASV	5.0	1150	3924	2.38	25/400	209	ASHRAE/T
	WHP02400GCV	7.10	1670	5698	2.64	17/400	219.0	ASHRAE/T
	WHP02800GCV	8.50	1970		2.58	30/400	224.0	ASHRAE/T
	WHP03050ASV	9.60	2270	7745	2.94	30/400	241.4	ASHRAE/T
	WHP03250ASV	10.20	2395	8172	2.74	30/400	231.4	ASHRAE/T
	WHP03650ASV	11.30	2681	9148	2.89	30/420	241.4	ASHRAE/T
	WHP04350GSV	12.50	2990	10202	2.52	45/450	242.2	ASHRAE/T
	WHP04710ASV	14.50	3500	11942	2.77	45/450	246.4	ASHRAE/T
G	WHP04500GCV	13.00	3200	10918	2.65	45/400	253.5	ASHRAE/T
	WHP04600ASV	14.00	3400	11601	2.94	50/450	261.0	ASHRAE/T
L	WH06100GCV	16.90	4100	13989	2.66	45/450	302.0	ASHRAE/T
	WHP06670GUV	18.50	4440	15149	2.98	45/450	289.0	ASHRAE/T
	WHP06900GCV	19.30	4760	16241	2.80	45/450	302.0	ASHRAE/T
	WHP06800ASV	21.10	5040	17196	2.88	60/450	304.0	ASHRAE/T
	GSL236CV-4	23.60	5600	19107	2.80	60/450	304.0	ASHRAE/T
TH	WHP09740GUV	27.00	7340	25044	3.06	60/450	380.4	ASHRAE/T
	WHP10100ASV	32.50	7860	26818	2.98	70/450	375.8	ASHRAE/T

新兴领域用压缩机
NON-Residential AC Compressor

定速 R22 立式压缩机/ CONSTANT-SPEED R22 VERTICAL COMPRESSOR

[3φ]380V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP02300RCU	10.2	1715	5852	3.08	–	239.5	ASHRAE/T
H	WHP07500RSC	33.6	5700	19448	3.03	–	307.8	ASHRAE/T
TH	THU40WC6-U5	48.8	8290	28285	3.05	–	372.7	ASHRAE/T
	WHP09450RSC	40.1	6900	23543	3.29	–	344.0	ASHRAE/T
	WHP09800RCC	44.60	7502	25597	3.25	–	347.7	ASHRAE/T
	WHP12000RCC	53.20	9000	30708	3.16	–	362.4	ASHRAE/T
TE	TE800RC3Q9JK	80.00	14996	51166	3.25	–	347.7	ASHRAE/T

定速 R22 立式压缩机/ CONSTANT-SPEED R22 VERTICAL COMPRESSOR

[1φ]220V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
L	WHP06500RCV-5	28.6	4890	16685	2.89	45/450	308.3	ASHRAE/T
H	WHP07500RCV-5	33.6	5760	19653	3.02	75/450	307.8	ASHRAE/T

■ 新风空调压缩机（卧式压缩机） FRESH AIR COMPRESSOR (HORIZONTAL COMPRESSOR)

定速 R407C 卧式压缩机/ CONSTANT-SPEED R407C HORIZONTAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	CDD091CV	9.10	1560	5323	3.03	15/400	145.0	ASHRAE/T
	CDD127CV	12.70	2280	7779	2.98	20/420	145.0	ASHRAE/T
	CDL211SV	21.10	3600	12283	2.95	35/450	165.0	ASHRAE/T

定速 R410A 卧式压缩机/ CONSTANT-SPEED R410A HORIZONTAL COMPRESSOR

[1φ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	ADD073XV	7.30	1750	5971	2.69	25/400	147.0	ASHRAE/T
	ADD102SV	10.20	2450	8359	2.70	35/450	147.0	ASHRAE/T
L	ADL135SV	13.50	3215	10970	2.84	35/450	160.0	ASHRAE/T

■ 机柜用直流变频压缩机 COMPRESSOR FOR TELECOM CABINET

24V/48V直流电源 DC变频/ R134A DC INVERTER R134A

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
W	BSW007SKE*1	0.70	61	208	1.69	3000	75.0	ASHRAE/T
	BSW014SKE	1.40	223	761	2.65	4500	93.5	ASHRAE/T
	VSW020SKE*1	2.00	315	1075	2.58	4500	93.5	ASHRAE/T
	VSW030SKE*1	3.00	515	1757	2.75	4500	103.5	ASHRAE/T
A	BSA357SDF	3.57	576	1965	2.76	4080	173.2	ASHRAE/T
	BSA804SDF	8.04	960	3276	3.37	3000	185.0	ASHRAE/T
TD	VTD150SDE	15.00	3000	10236	3.52	3000	247.0	ASHRAE/T
	VTD226SKE	22.60	2810	9588	3.55	3000	273.7	ASHRAE/T
G	BSG210SKE	21.00	2580	8803	3.58	3000	212.0	ASHRAE/T
L	BSL253SDF	25.30	3000	10236	3.30	2940	279.0	ASHRAE/T

[1φ]220V交流电源 [3φ]380V交流电源 DC变频 R134a/R513A/ DC INVERTER R134A/R513A

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
A	WHP01750ARK	5.86	1762	6012	3.25	3600	209.2	ASHRAE/T
D	WHP03400ARK	8.80	2640	9008	3.31	3600	230.9	ASHRAE/T
	WHP04000VRK	10.20	3048	10400	3.09	3600	226.5	ASHRAE/T
TD	WHP04200VRK	11.00	3250	11089	3.10	3600	250.7	ASHRAE/T
	WHP05600AUK	14.10	4285	14620	3.20	3600	258.0	ASHRAE/T
	WHP07850AUK	18.60	5584	19053	3.24	3600	261.7	ASHRAE/T
	WHP09100AUK	22.60	6880	23475	3.29	3600	291.7	ASHRAE/T
	WHP12900GSK	28.00	8495	28985	3.20	3600	309.0	ASHRAE/T
TH	WHP15600ASD	41.90	13200	45038	3.18	3600	380.9	ASHRAE/T
	BTH420SDP(R134a)	41.80	5680	19380	3.40	3300	380.9	ASHRAE/T
	ATH550SKR	55.00	15760	53773	3.25	3300	405.8	ASHRAE/T
TE	ATE650SKT	65.00	21100	71993	3.20	3600	443.0	ASHRAE/T
	ATE752SKT	75.20	24450	83423	3.08	3600	443.0	ASHRAE/T
	ATE848SKT	84.80	27600	94171	3.06	3600	443.0	ASHRAE/T

[1ϕ]220V交流电源 [3ϕ]380V交流电源 DC变频 R134a/R513A/ DC INVERTER R134A/R513A

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
W	VSW014SKM	1.40	223	761	2.58	4500	103.5	ASHRAE/T
	VSW020SKM	2.00	315	1075	2.55	4500	103.5	ASHRAE/T
	VSW030SKM	3.00	515	1757	2.74	4500	103.5	ASHRAE/T
A	VSA357SDN	3.57	505	1723	3.08	3600	173.2	ASHRAE/T
	BSA586SDM	5.86	744	2539	3.34	3180	176.6	ASHRAE/T
	BSA804SD	8.04	960	3276	3.45	3000	212.0	ASHRAE/T

■ 基站机房、列间、IDC 空调压缩机 COMPRESSOR FOR COMPUTER ROOM AIR CONDITIONER

定速 R410A/ CONSTANT-SPEED R410A

[3ϕ]380V 50Hz

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
TH	WHP09100ASC	28.30	6750	23031	2.92	–	351.4	ASHRAE/T
	WHP14700ASC	44.60	10900	37191	2.96	–	375.8	ASHRAE/T
	WHP18000ASC	54.80	13100	44697	2.92	–	400.7	ASHRAE/T
TE	WHP17500ASC	51.80	13150	44868	3.02	–	414.6	ASHRAE/T
	WHP19800ASC	59.00	14850	50668	3.00	–	445.2	ASHRAE/T
	ATE690UC	69.00	20050	68411	4.05	–	445.2	ASHRAE/T
	ATE752UC	75.20	19400	66193	3.00	–	445.2	ASHRAE/T

■ 房车专用压缩机 CARAVAN COMPRESSOR

定速 R407C 卧式压缩机/ CONSTANT-SPEED R407C HORIZONTAL COMPRESSOR

[1ϕ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	CDD091CV	9.10	1560	5323	3.03	15/400	145.0	ASHRAE/T
	CDD127CV	12.70	2280	7779	2.98	20/420	145.0	ASHRAE/T
L	CDL211SV	21.10	3600	12283	2.95	35/450	165.0	ASHRAE/T

定速 R410A&R32 卧式压缩机/ CONSTANT-SPEED R410A&R32 HORIZONTAL COMPRESSOR

[1ϕ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	ADD073XV	7.30	1740	5937	2.78	25/400	147.0	ASHRAE/T
	ADD102SV	10.20	2450	8359	2.70	35/450	147.0	ASHRAE/T
	GDD102SV	10.20	3320	11328	4.00	35/450	163.0	S09-C1
L	ADL135SV	13.50	3215	10970	2.84	35/450	160.0	ASHRAE/T

定速 R410A 卧式压缩机/ CONSTANT-SPEED R410A HORIZONTAL COMPRESSOR

[1ϕ]208-230V 60HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
L	ADL135SN	13.50	3960	13512	2.84	40/400	160.0	ASHRAE/T

定速 R410A&R32 卧式压缩机/ CONSTANT-SPEED R410A&R32 HORIZONTAL COMPRESSOR

[1ϕ]115-120V 60HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	GDD092XW	9.20	2850	9724	2.68	65/300	148.0	ASHRAE/T
	GDD113XW	11.30	3550	12113	2.8	65/300	148.0	ASHRAE/T

定速 R410A&R32 卧式压缩机/ CONSTANT-SPEED R410A&R32 HORIZONTAL COMPRESSOR

[1ϕ]220-240V 50HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	ADD073XV	7.30	1740	5937	2.78	25/400	147.0	ASHRAE/T
	ADD102SV	10.20	2450	8359	2.70	35/450	147.0	ASHRAE/T
	GDD102SV	10.20	3320	11328	4.00	35/450	163.0	S09-C1
L	ADL135SV	13.50	3215	10970	2.84	35/450	160.0	ASHRAE/T

新兴领域用压缩机 NON-Residential AC Compressor

定速 R410A 卧式压缩机/ CONSTANT-SPEED R410A HORIZONTAL COMPRESSOR

[1φ]208-230V 60HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
L	ADL135SN	13.50	3960	13512	2.84	40/400	160.0	ASHRAE/T

定速 R410A&R32 卧式压缩机/ CONSTANT-SPEED R410A&R32 HORIZONTAL COMPRESSOR

[1φ]115-120V 60HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	GDD092XW	9.20	2850	9724	2.68	65/300	148.0	ASHRAE/T
	GDD113XW	11.30	3550	12113	2.8	65/300	148.0	ASHRAE/T

定速 R410A&R32 立式压缩机/ CONSTANT-SPEED R410A&R32 VERTICAL COMPRESSOR

[1φ]115-120V 60HZ

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	电容 Capcitor (μF/v)	压缩机高度 Height (mm)	测试工况 Testing Condition
G	WHP03840GUW	9.60	3330	11362	3.68	60/250	289	New GB
	WHP04800GUW	12.00	4165	14211	3.72	60/250	289	New GB
	WHP05000GUW	12.50	4320	14740	3.74	60/250	289	New GB
L	WHP04080GSW	9.60	3320	11328	3.24	60/450	210.5	New GB
	WHP05100GSW	11.80	4120	14057	3.27	60/450	210.5	New GB
	WHP05320GSW	12.50	4375	14928	3.35	60/450	210.5	New GB

变频 R410A 卧式压缩机/ DC INVERTER R410A HORIZONTAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	ADD088CKN	8.80	2240	7643	3.03	3000	163.0	ASHRAE/T
	VBD110SKM	11.00	2800	9554	3.15	3000	163.0	ASHRAE/T
	VBD150SKQ	15.00	3860	13170	3.17	3000	163.0	ASHRAE/T

■ 驻车专用压缩机 APV COMPRESSOR

24V/48V直流电源 DC变频 R134a 卧式压缩机/ 24V/48V DC INVERTER R134A HORIZONTAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	BBD150SKE	15.00	1920	6551	3.12	3180	131.0	ASHRAE/T
	BBD163CKE	16.30	2030	6926	3.17	3180	131.0	ASHRAE/T

24V/48V直流电源 DC变频 R134a 立式压缩机/ 24V/48V DC INVERTER R134A VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	BTD163CKE	16.30	2020	6892	3.23	3180	224.0	ASHRAE/T
G	BSG133SKE	13.30	1630	5562	3.26	3000	188.3	ASHRAE/T

[1φ]220V交流电源 DC变频 R134a 立式压缩机/ DC INVERTER R134A VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	BTD110SKM	11.00	1313	4480	3.55	3000	210.0	ASHRAE/T

■ 新能源车电池热管理专用压缩机 NEW ENERGY VEHICLE BTMS COMPRESSOR

DC变频R134a 卧式压缩机/ DC INVERTER R134A HORIZONTAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	BBD226SKQ	22.6	3058	10434	3.31	3000	133.7	ASHRAE/T
TH	BBH356SD	35.6	7850	26784	2.75	6000	159.2	ASHRAE/T
	VBH420SD	42.0	5020	17128	3.47	3000	166.0	ASHRAE/T
	BBH420SK	42.0	9940	33915	2.95	6000	168.6	ASHRAE/T
	VBH650SK	65.0	8540	29138	3.38	3600	170.3	ASHRAE/T

DC变频R410A 卧式压缩机/ DC INVERTER R410A HORIZONTAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	VBD110SKM	11.0	2690	9178	2.94	3000	132.6	ASHRAE/T
	VBD150SKQ	15.0	3800	12966	3.10	3000	132.6	ASHRAE/T
TH	VBH420SD	42.0	10500	35826	3.10	3000	166.0	ASHRAE/T
	VBH650SK	65.0	8540	29138	3.38	3000	170.3	ASHRAE/T

■ 新能源储能电池热管理专用压缩机 NEW ENERGY STORAGE BTMS COMPRESSOR

变频 R134a & R513A立式压缩机/ INVERTER R134A & R513A VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP04000VRK	10.2	1585	5408	3.60	3600	226.5	ASHRAE/T
	WHP05600VUK	14.1	2050	6995	3.50	3600	261.7	ASHRAE/T
	BTD226SKQ	22.6	3422	11676	3.48	3600	258.1	ASHRAE/T
	WHP09100AUK	22.6	3350	11430	3.56	3600	291.7	ASHRAE/T
	VTD280SKQ	28.0	4180	14262	3.37	3600	270.1	ASHRAE/T
TH	BTH420SD	41.8	5600	19107	3.53	3300	317.9	ASHRAE/T
	BTH550SD	54.8	8250	28149	3.43	3600	349.3	ASHRAE/T
TE	VTE848SK	84.8	13415	45772	3.30	3600	443.0	ASHRAE/T

变频 R410A & R32 立式压缩机/ INVERTER R410A & R32 VERTICAL COMPRESSOR

系列 Series	型号 Model	排气量 Displace-ment (cc/rev)	制冷量 Cooling Capacity (W)	制冷量 Cooling Capacity (Btu/h)	COP (W/W)	额定转速 Ratsd Speed (rpm)	压缩机高度 Height (mm)	测试工况 Testing Condition
D	WHP04200VRK	11.0	3250	11089	3.11	3600	250.7	ASHRAE/T
	WHP05600VUK	14.1	4240	14467	3.19	3600	261.7	ASHRAE/T
	WHP07850AUK	18.6	5584	19053	3.24	3600	261.7	ASHRAE/T
	WHP09100AUK	22.6	6950	23713	3.23	3600	291.7	ASHRAE/T
	WHP09100GUK	22.6	7647	26092	3.31	3600	273.7	ASHRAE/T
	WHP12900GSK	28.0	8495	28985	3.2	3600	306.0	ASHRAE/T
TH	WHP11600GSK	30.7	8500	29002	3.12	3300	328.0	ASHRAE/T
	WHP15600VSK	41.8	13300	45380	3.24	3600	363.1	ASHRAE/T
	ATH550SKR	54.8	15600	53227	3.22	3300	405.8	ASHRAE/T
	GTH550SKR	54.8	18868	64378	3.22	3300	405.8	ASHRAE/T
	ATH650SKT	63.9	20980	71584	3.25	3600	432.2	ASHRAE/T
TE	VTE848SK	84.8	27100	92465	3.01	3600	443.0	ASHRAE/T

04

营销网络

SALES NETWORK

JØRGENSEN APPLIANCE A/S
COOLING · HEATING · VENTILATION · ELECTROMECHANICAL SOLUTIONS

营销网络 »»

SALES NETWORK



海外营销中心

International Market

欧美 Europe and America

地址: 上海市浦东新区宁桥路888号
邮编: 201206
电话: 18621573173
Address: NO.888, Ningqiao Road，Pudong New Area，Shanghai
Zip: 201206
Tel: 18621573173

亚太 Asia-Pacific

地址: 上海市浦东新区宁桥路888号
邮编: 201206
电话: 13651979197
Address: NO.888, Ningqiao Road，Pudong New Area，Shanghai
Zip: 201206
Tel: 13651979197

国内营销中心

Domestic Market

X营业部

地址: 上海市浦东新区宁桥路888号
邮编: 201206
电话: 13458684195
X SALES DEPARTMENT
Address: NO.888, Ningqiao Road，Pudong New Area，Shanghai
Zip: 201206
Tel: 13458684195

北方营业部

地址: 山东省青岛市市南区彰化路1号甲瑞禾苑1号楼4单元502室
邮编: 266071
电话: 18561615638
NORTHERN SALES DEPARTMENT
Address: Room 502, Unit 4, Building 1, Ruiheyuan, No. 1A, Zhanghua Road, Shinan District, Qingdao City, Shandong Province
Zip: 266071
Tel: 18561615638

华东营业部

地址: 浙江省宁波市鄞州区中河街道嵩江东路728弄77号406室
邮编: 315100
电话: 18616858335
EASTERN CHINA SALES DEPARTMENT
Address: Room 406, No. 77, Lane 728, Songjiang East Road, Zhonghe Sub-district, Yinzhou District, Ningbo City, Zhejiang Province
Zip: 315100
Tel: 18616858335

珠海营业部

地址: 广东省珠海市吉大区石花东路海湾花园11栋602室
邮编: 519000
电话: 15921585369
ZHUHAI SALES DEPARTMENT
Address: Room 602, Building 11, Haiwan Garden, East Shihua Road, Jida District, Zhuhai City, Guangdong Province
Zip: 519000
Tel: 15921585369

顺德营业部

地址: 广东省佛山市顺德区碧桂园西十五路8号/9号
邮编: 528312
电话: 18923149433
SHUNDE SALES DEPARTMENT
Address: No. 8/9, No. 15 West Road, Biguiyuan, Shunde District, Foshan City, Guangdong Province
Zip: 528312
Tel: 18923149433